



330°



E14



PACKING	INNER	MASTER
/	pcs	pcs
<b>Colour box</b>	<b>10</b>	<b>100</b>



## TECHNISCHE DATEN

Stromversorgung	220V AC
Lichtquelle	FILAMENT LED - CRYSTAL
Leistung der Beleuchtung (W)	6
Elektrizitätsverbrauch (W)	6
Äquivalente Leistung der Glühlampe (W)	60
Startzeit	INSTANT
Lumen	806
IRC	>80
Lichtstrahl	DIFFUSE
LED-Lebensdauer (Stunden)	20000
Material	GLASS
Farbe	TRANSPARENT
Form der Glühbirne	C35
Anlage	E14
Energieklasse	E
Helle Farbe	4000K
Dimmbarkeit	NO
Code eprel	2035590
Link db eprel	<a href="http://eprel.ec.europa.eu/qr/2035590">http://eprel.ec.europa.eu/qr/2035590</a>

## BESCHREIBUNG

With a lifespan of 20,000 hours (well beyond the standards you will find on the market), the bulb can last over 15 years (with 3 hours of daily use). Produces 806 lumens of instant brightness, without having to wait for the bulb to warm up. Transparent diffuser that makes the light very similar to old incandescent bulbs. The "LED filament" technology gives a hyper-diffused 330° beam. With a color temperature of 4000 Kelvin, the bulb provides natural white light, creating a bright atmosphere in any room. Perfect for all rooms in the house such as the bedroom, living room, bathroom... and for the office. Ideal for bedside lamps, hoods, study lights, chandeliers, wall lamps.... It consumes 6 watts of energy and has an operating cost of less than 2.50 euros per year and allows significant energy savings compared to an incandescent light bulb. Equivalent to a traditional 60W light bulb. High color rendering index (CRI > 80) provides natural and vivid color. This bulb is not dimmable, not compatible with dimmers.

**LOGISTISCHE DATEN**

Art der Verpackung	Colour box
Gewicht des verpackten Produkts (kg)	2.500
Innere Breite (cm)	20
Innere Länge (cm)	18
Innere Höhe (cm)	20
Menge im Inneren	10
Bruttogewicht innen (kg)	0.250
ITF INNER	18003910114842
Master-Länge (cm)	40
Masterbreite (cm)	20
Meisterhöhe (cm)	22
Menge im Master	100
Master Bruttogewicht (kg)	2.500
ITF-MEISTER	28003910114849
INTRASTAT-Code	85395200
DEEE	0.24

