



PACKING 	INNER  pcs	MASTER  pcs
Bulk	5	45



TECHNICAL DATA

Stack technology	LEAD ACID
Rated voltage (V)	4
Battery capacity (mAh)	4500
Batteries provided	(INCLUDED)
Battery Connector: (type)	FASTON T1
Power battery (Wh)	18
Battery class	8
Battery/battery weight (kg)	0.485
Country of origin	CHINA
Standards	UN2800
Handbook	https://www.velamp.com/manuali/23719.pdf
Warranty	2 YEARS
Width (mm)	106
Depth (mm)	46
Height (mm)	46
Net weight (Kg)	0.485

DESCRIPTION


Rechargeable sealed lead-acid battery. Ideal for use with rechargeable LED headlights, emergency lights, etc.; it is important to recharge lead-acid batteries regularly to avoid damage. Voltage: 4V; Capacity: 4.5Ah. T1 faston connections. Long-lasting, use your products longer.

LOGISTICS DATA

Packing type	Bulk
Pack length (mm)	50
Pack width (mm)	50
Pack height (mm)	100
Packed product weight (kg)	0.440
Inner width (cm)	27
Inner length (cm)	25
Inner height (cm)	12
Quantity in inner	5
Gross weight inner (kg)	2.200
ITF INNER	18003910902203
Master length (cm)	27
Master width (cm)	27
Master height (cm)	25
Quantity in master	45
Master gross weight (kg)	22.000

LOGISTICS DATA

ITF MASTER	28003910902200
INTRASTAT Code	85072080
ECOLOGIC SCALES 2025	N/A
Country of origin	CHINA



Application Areas

- Wind power**
- Solar LED**
- Telecommunications**
- Solar Farms**
- UPS**
- Alarm systems**
- Medical Instruments**
- Emergency Lights**

F1

