

LITHIUM BATTERY (LiFePO4)



PACKING 	INNER  pcs	MASTER  pcs
Bulk	1	6



TECHNICAL DATA

Power supply	AC/DC
Power supply provided	NO
Battery type	OTHER
Stack technology	LITHIUM-ION
Rated voltage (V)	12,8
Battery capacity (mAh)	7000
Batteries provided	INCLUDED
Power battery (Wh)	89.6
Battery class	9
Color	BLACK
Material	PLASTIC - OTHER
Standards	UN3480
Warranty	2 YEARS
Width (mm)	150
Depth (mm)	65
Height (mm)	95
Net weight (Kg)	0.961

DESCRIPTION

Velamp's sealed rechargeable lithium battery, with a voltage of 12.8 Volts, a capacity of 7 Ah, and Faston F2 (6.5 mm) connections, offers low maintenance since it does not require filling with distilled water. Its sealed structure guarantees high safety, preventing electrolyte leaks and ensuring consistent, long-lasting performance. It is easy to install thanks to the convenient Faston connections and can be mounted in any position. It also demonstrates great resistance to shock and vibration, making it suitable for a wide range of industrial applications, including backup systems, alarms, video surveillance, fire prevention, home automation, and UPS. Lithium iron phosphate (LiFePO4) battery. RECHARGEABLE BATTERY: sealed lithium, Voltage: 12.8 Volts – Capacity: 7 Ah - Faston F2 connections (6.4 mm). MAINTENANCE FREE: Sealed batteries are maintenance-free and do not need to be filled with distilled water like traditional lead-acid batteries. SAFETY AND HIGH PERFORMANCE: the sealed structure of the batteries prevents electrolyte leaks, ensuring a high level of safety as well as constant and long-lasting performance over time and making them ideal for even the most critical uses. EASY TO INSTALL: Sealed lithium batteries can be installed in any position (except upside down). Lithium iron phosphate (LiFePO4) battery.

LOGISTICS DATA

Packing type	Bulk
Pack length (mm)	65
Pack width (mm)	150
Pack height (mm)	95
Packed product weight (kg)	0.961
Inner width (cm)	23
Inner length (cm)	16
Inner height (cm)	11

LOGISTICS DATA

Quantity in inner	1
Gross weight inner (kg)	1.000
ITF INNER	18003910116747
Master length (cm)	34
Master width (cm)	23
Master height (cm)	13
Quantity in master	6
Master gross weight (kg)	6.000
ITF MASTER	28003910116744
How many pieces on 80x120 pallet (pz)	330
INTRASTAT Code	85076000



Dimensioni batteria: 148 x 95 x 62 mm

Peso: 961 g



Terminale Faston F2 per collegamenti facili e scarica ad alta velocità

23748L BATTERIA A LITIO VS BATTERIA AL PIOMBO

NOSTRA	ALTRE
Scarica al 100% ✓	Scarica al 50% ✗
4000+ Cicli di ricarica	500 Cicli di ricarica
Ricarica costante	Calo di potenza
Ricarica veloce ed efficiente	Ricarica lenta
Leggera	Pesante
Con BMS	No

USI DEL PRODOTTO

MODELLO IMPERMEABILE WATERPROOF DESIGN

12.8 V 7Ah 23748L BATTERIA A LITIO PER QUATTORRUOTE PER BAMBINI