



PACKING	INNER	MASTER
 / 	 pcs	 pcs
Polybag	25	200



TECHNICAL DATA

Name	ADAPT-IT-102
Power supply	220V AC
Power supply provided	NO
Switch	NO
Plug	Type Italy tripolar 16A
Main socket	Type Italy tripolar 16A/10A + shuko bipasso
Number of sockets	1
Color	WHITE
Material	PLASTIC - PC
Warranty	2 YEARS
Width (mm)	145
Depth (mm)	100
Height (mm)	40
Net weight (Kg)	1.375

DESCRIPTION

Free up services: The innovative off-axis plug input allows you to leave the other services of the light point free. Space-saving: Thanks to the staggered input, it allows you to connect even the usually very bulky German standard. Multiply the sockets and standards. Max power: 1500W, white color. All sockets are equipped with Child safety - prevents foreign objects from being introduced into the live socket.

LOGISTICS DATA

Packing type	Polybag
Pack length (mm)	100
Pack width (mm)	145
Pack height (mm)	40
Packed product weight (kg)	1.415
Inner width (cm)	43
Inner length (cm)	40
Inner height (cm)	6
Quantity in inner	25
Gross weight inner (kg)	1.400
ITF INNER	18003910113623
Master length (cm)	47
Master width (cm)	43
Master height (cm)	30
Quantity in master	200

LOGISTICS DATA

Master gross weight (kg)	12.100
ITF MASTER	28003910113620
How many pieces on 80x120 pallet (pz)	3600
INTRASTAT Code	85366190

