



PACKING 	INNER  pcs	MASTER  pcs
Bulk	5	50



TECHNICAL DATA

Battery type	18650
Stack technology	LITHIUM-ION
Rated voltage (V)	3,7
Battery capacity (mAh)	4400
Batteries provided	(INCLUDED)
Battery Connector: (type)	Connettore SM2.54-2P
Power battery (Wh)	16.28
Battery class	9
Battery/battery weight (kg)	0.094
Charging time (h)	Depends on application
Country of origin	CHINA
Material	METAL
Standards	UN3480
Warranty	2 YEARS
Width (mm)	38
Depth (mm)	18
Height (mm)	70
Net weight (Kg)	0.092

DESCRIPTION


Ideal for rechargeable flashlights and lamps, solar systems, household appliances, video surveillance systems, and many other applications. No memory effect; 2x2200 mAh capacity. Large capacity and reliability, the battery is 100% new, not recycled. Type 2x 18650; with connector; ideal for Velamp ir867, IR666-10W, ST999-10L projector. SM2.54-2P connector.

LOGISTICS DATA

Packing type	Bulk
Packed product weight (kg)	0.092
Inner width (cm)	26
Inner length (cm)	12
Inner height (cm)	5
Quantity in inner	5
Gross weight inner (kg)	0.480
ITF INNER	18003910107752
Master length (cm)	28
Master width (cm)	26
Master height (cm)	10
Quantity in master	50
Master gross weight (kg)	5.030

LOGISTICS DATA

ITF MASTER	28003910107759
INTRASTAT Code	85072080
ECOLOGIC SCALES 2025	N/A
Country of origin	CHINA



COMPATIBILITA' BATTERIE / BATTERY COMPATIBILITY

CODE	8825	8828	BATT8664	23796-A	23796-B	23796-C	23796-D	BATT3744	BATT8667	BATT1400	23722
CODE			3.7V 2Ah	3.7V 2.3Ah	3.7V 2.3Ah	3.7V 2.3Ah	3.7V 2.3Ah	3.7V 4.4Ah	3.7V 4.4Ah	3.7V 7.0Ah	3.7V 7.0Ah
8825A		✓						✓			
8828		✓						✓			
8866-5W		✓						✓			
8866-5W		✓						✓			
8799-5L		✓						✓			
8799-5L		✓						✓			
8799-5L		✓						✓			
8892									✓		
8867									✓		
8862		✓						✓			
8542			✓	✓	✓	✓				✓	✓
8723									✓		✓
8725									✓		✓
8120			✓	✓	✓	✓					
8420			✓	✓	✓	✓					
8340			✓	✓	✓	✓					
8899			✓	✓	✓	✓					
8721			✓	✓	✓	✓					
8547			✓	✓	✓	✓					
88669F	✓	✓									✓
8866											✓

