



CHROME
VANADIUM

HRC
52-56




PACKING 	INNER  pcs	MASTER  pcs
Hangable colour box	6	12



TECHNICAL DATA

Rated voltage (V)	1000
Color	RED
Country of origin	CHINA
Material	METAL
Standards	IEC 60900: 2018
Warranty	2 YEARS
Width (mm)	290
Depth (mm)	120
Height (mm)	40
Product dimensions	1-tester: 140mm length x tip slot 3mm 2-screwdriver PH1x80mm: blade length 80mm x tip 4.5mm 3-screwdriver 0.8x4x100mm: blade length 100mm x tip slot 0.8x4mm 4-screwdriver PH2x100mm: blade length 100mm x tip 6mm
Net weight (Kg)	0.055

DESCRIPTION



4-Piece Electrician's Screwdriver Set. Professional electrician's screwdrivers with ergonomic handles. With magnetic tips. VDE CERTIFIED - Insulated electrician's screwdrivers rated up to 1,000 volts. VDE certified. With 140mm voltage tester (test range 125V - 250V). Material: Chrome-vanadium steel: increased hardness. ERGONOMIC GRIP - Rubberized screwdrivers with ergonomic and safe grip with thumb slide guard. INSULATED SCREWDRIVER TYPE: PH1 x 80mm; PH2 x 100mm; SL 4.0 100mm. With 140mm voltage tester (test range 125V - 250V); Material: Chrome-vanadium steel. COMPLETE RANGE of screwdrivers for electrical work at home and in the professional environment.

LOGISTICS DATA

Packing type	Hangable colour box
Pack length (mm)	120
Pack width (mm)	290
Pack height (mm)	40
Packed product weight (kg)	0.075
Inner width (cm)	26
Inner length (cm)	30
Inner height (cm)	24
Quantity in inner	6
Gross weight inner (kg)	1.900
ITF INNER	18003910113883
Master length (cm)	31
Master width (cm)	26

LOGISTICS DATA

Master height (cm)	28
Quantity in master	12
Master gross weight (kg)	4.200
ITF MASTER	28003910113880
How many pieces on 80x120 pallet (pz)	660
INTRASTAT Code	82060000
ECOLOGIC SCALES 2025	N/A
Country of origin	CHINA



4 PCS INSULATED SCREWDRIVER SET	
	0,8 x 4,0 x 100mm
	PH1 x 80mm PH2 x 100mm
	TESTER (3 x 140mm) TEST RANGE: 125V - 250V



INDICATOR LIGHT:
the light inside the handle of tester screwdriver indicate the presence of a live electrical current

