






PACKING 	INNER  pcs	MASTER  pcs
<b>Polybag</b>	<b>12</b>	<b>96</b>



## TECHNICAL DATA

IP Protection	IP68
Country of origin	CHINA
Material	PLASTIC - PC
Warranty	2 YEARS
Width (mm)	96
Depth (mm)	82
Height (mm)	30
Net weight (Kg)	0.055

## DESCRIPTION

Excellent Material: The connector is made of high-strength PA66 + silicone rubber, designed for home, garden, or farm use; suitable for outdoor lighting with quick connection and external wiring. Professional waterproof design, the waterproof grade is IP68 and it has fireproof function, dustproof function, shockproof function, these functions ensure that it can be used under the sun or in rainy days. Professional waterproof design, the waterproof grade is IP68 and it has fireproof function, dustproof function, shockproof function, these functions ensure that it can be used under the sun or in rainy days. Cable connection: for cable size: H05RN-F 3G1.5mm<sup>2</sup> max.; 2 or 3 pin cable connection, very suitable for quick connection for outdoor lighting and external wiring; Max. current: 24A and 450V; Operating temperature: -30°C - +80°C. Easy installation: Without additional installation tools, a screwdriver can be quickly installed, although non-professionals can also simply install.

## LOGISTICS DATA

Packing type	Polybag
Pack length (mm)	40
Pack width (mm)	100
Pack height (mm)	100
Packed product weight (kg)	0.060
Inner width (cm)	23
Inner length (cm)	16
Inner height (cm)	4
Quantity in inner	12
Gross weight inner (kg)	0.720
ITF INNER	18003910102245
Master length (cm)	34
Master width (cm)	23
Master height (cm)	36
Quantity in master	96
Master gross weight (kg)	5.760
ITF MASTER	28003910102242
INTRASTAT Code	39269097

## LOGISTICS DATA

ECOLOGIC SCALES 2025

N/A

Country of origin

CHINA

