



PACKING	INNER	MASTER
/	pcs	pcs
<b>Colour box</b>	<b>6</b>	<b>48</b>



## TECHNICAL DATA

Name	TWEED
Power supply	220V AC
Power supply provided	YES
Type of power supply provided	INTERNAL DRIVER
How many batteries are used	1
Battery type	CR2032
Stack technology	LITHIUM-ION
Rated voltage (V)	3
Batteries provided	(INCLUDED)
Power battery (Wh)	0.72
Battery class	9
Battery/battery weight (kg)	0.004
Scope (m)	150
Plug	Type C/EF - 2 pin (Europlug/FR-DE Hybrid WITHOUT EARTH)
Number of melodies	36
IP Protection	IP44
Insulation class	II
Volume control	YES
Call indicator light	YES
Color	WHITE
Country of origin	CHINA
Material	PLASTIC - ABS
Standards	UN3091
Warranty	2 YEARS
Width (mm)	170
Depth (mm)	70
Height (mm)	75
Net weight (Kg)	0.190

## DESCRIPTION

[150 Meters Open Range] The distance between the transmitter and receiver is up to 150 meters. The transmission type is 433MHz, enough radio range to install the wireless doorbell anywhere in your home, ensuring you don't miss any visitors or packages. [36 Ringtones & 4 Volume Levels] You can choose your favorite ringtone from 36 different melodies.... All beautiful!. Possibility of adjusting the volume to 4 levels. [With Flashing RGB LED] When the doorbell button is pressed, in addition to the ringtone, a colored LED (you can choose from several colors) will flash around the receiver, making it highly visible, especially in the dark. This is also convenient for people with hearing problems or if the TV is on! You can also choose whether to leave the doorbell ringing and the light signal, or just the ringtone or the light signal. [Easy Installation] Simply plug the receivers into electrical outlets (indoors only). The doorbell can be attached to the doorframe with screws or secured with double-sided tape. In addition to the convenient name tag, the doorbell also has a red light that lets visitors know their call is being transmitted. Finally, the doorbell is splash-proof, making it suitable for use on a gatepost or under a porch. [No Interference] Pairing the doorbell and receivers is very simple and requires no expertise. Above all, this pairing ensures there will be no frequency interference with other wireless devices nearby.

## LOGISTICS DATA

Packing type	Colour box
Pack length (mm)	80
Pack width (mm)	170
Pack height (mm)	95
Packed product weight (kg)	0.250
Inner width (cm)	38
Inner length (cm)	35
Inner height (cm)	26
Quantity in inner	6
Gross weight inner (kg)	1.600
ITF INNER	18003910113937
Master length (cm)	43
Master width (cm)	38
Master height (cm)	53
Quantity in master	48
Master gross weight (kg)	13.600
ITF MASTER	28003910113934
How many pieces on 80x120 pallet (pz)	720
INTRASTAT Code	85311030
DEEE	0.02
ECOLOGIC SCALES 2025	MBJED010000
Country of origin	CHINA



**LED RGB**

Il campanello è dotato di LED RGB che si illumina quando suona (è possibile selezionare diversi colori e disattivare questa funzione)

The Doorbell has RGB LED that will light up when the bell will ring (you can select different colors and you can deactivate this function)

