



PACKING 	INNER pcs	MASTER pcs
<b>Bulk</b>	<b>10</b>	<b>10</b>



## TECHNICAL DATA

Power supply	220V AC
Extendable	NO
Cable section	H05VV-F 3G1.0mm2
Cable length (meters)	10
Plug	Type Italy tripolar 16A
Main socket	Type Italy tripolar 16A/10A + shuko bipasso
Number of sockets	4
Coiled cable (W)	1000
Uncoiled cable (W)	2300
IP Protection	IP20
Children protection	CHILDREN PROTECION
Country of origin	CHINA
Material	PLASTIC - OTHER
NF	NF
Warranty	2 YEARS
Width (mm)	271
Depth (mm)	215
Height (mm)	75
Net weight (Kg)	1.207

## DESCRIPTION

10m cable reel, 4 multipurpose sockets (schuko + 10/16A), 16A plug (large), Cable section 3G1.0 mm<sup>2</sup>, length 10 metres. Extension Cord with Cable Reel. 16A cable reel with 4 universal outlets (10/16A Schuko dual-pole) and circuit breaker. All sockets are equipped with child protection which prevents foreign objects from being introduced into the live socket. Safety. Anti-overheating protection in case of overheating and/or overload that disconnects the power when the power exceeds the capacity limit. Sturdy thermoplastic construction. Designed and engineered in Italy, compliant with all applicable regulations.

## LOGISTICS DATA

Packing type	Bulk
Pack length (mm)	215
Pack width (mm)	271
Pack height (mm)	75
Packed product weight (kg)	1.207
Inner length (cm)	51
Inner height (cm)	28
Quantity in inner	10

## LOGISTICS DATA

Gross weight inner (kg)	12.800
ITF INNER	18003910107844
Quantity in master	10
How many pieces on 80x120 pallet (pz)	160
INTRASTAT Code	85444290
DEEE	0.15
Country of origin	CHINA



### CAVI DI RAME SPESSI, PER UNA SICUREZZA PERFETTA

Velamp utilizza dei fili di vero rame che garantiscono una buona conducibilità elettrica e un'eccellente dispersione del calore. La guaina in PVC è ultra resistente.

