



PACKING 	INNER pcs	MASTER pcs
Colour Box	6	24



TECHNICAL DATA


Power supply	220V AC
Power supply provided	YES
Type of power supply provided	INTERNAL DRIVER
How many batteries are used	2
Battery type	18650
Stack technology	LITHIUM-ION
Rated voltage (V)	7,4
Battery capacity (mAh)	1500
Batteries provided	(INCLUDED)
Power battery (Wh)	11.1
Battery class	9
Battery/battery weight (kg)	0.088
Maximum autonomy (h)	2
Lighting source	2835 SMD LED
Lighting power (W)	max 3.5
Lumen	140
Light colour	6500K
Light beam	DIFFUSE
Beam angle (°)	120°
Switch	NO
IP Protection	IP65
Mechanical strength (IK)	IK08
Insulation class	II
Country of origin	CHINA
Material	PLASTIC + PC
Standards	UN3481
Warranty	2 YEARS
Width (mm)	300
Depth (mm)	100
Height (mm)	30
Net weight (Kg)	0.346

DESCRIPTION

LED emergency lamp, fixed, 140 lumens, battery life: 2 hours. Elegant: its contemporary and simple design matches all homes; at just 32mm thick, it is extra thin and goes unnoticed; it can be surface-mounted (it is so thin that it does not require a flush-mounting box) on a wall or ceiling; the supplied springs allow for flush-mounting in a false ceiling. Certified to EN60598-2-22, it is a true emergency light; it can be used both in emergency mode (always on, the light will remain on in the event of a power outage) and in emergency mode (normally off, the light will only come on in the event of a power outage). IP65, it is waterproof and can therefore be installed both indoors and outdoors; it is perfect for the living room, bedroom, hallway, garage; but also in a bar or restaurant. Equipped with SMD LEDs, it generates 3.5W of power (140 lumens); light color: 6500K; it mounts a Li-Ion battery for a total of 7.4V 1500mAh; body in hyper-resistant polycarbonate (IK08).

LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	110
Pack width (mm)	330
Pack height (mm)	40
Packed product weight (kg)	0.416
Inner width (cm)	26
Inner length (cm)	23
Inner height (cm)	34
Quantity in inner	6
Gross weight inner (kg)	2.590
ITF INNER	18003910107288
Master length (cm)	47
Master width (cm)	26
Master height (cm)	37
Quantity in master	24
Master gross weight (kg)	10.880
ITF MASTER	28003910107285
How many pieces on 80x120 pallet (pz)	576
INTRASTAT Code	94051140
DEEE	0.06
ECOLOGIC SCALES 2025	MLUMI020000
Country of origin	CHINA



SUPER SLIM

ONLY
32 MM

