



**ZONE 0**



**4 x AA**  
NOT INCLUDED



PACKING 	INNER pcs	MASTER pcs
<b>Blister</b>	<b>6</b>	<b>36</b>



## TECHNICAL DATA

Power supply	DRY BATTERIES
Power supply provided	NO
How many batteries are used	4
Battery type	AA
Batteries provided	(NOT INCLUDED)
Maximum autonomy (h)	13
Lighting source	HIGH POWER LED
Light technology	CREE®-XP-G2
Lighting power (W)	5
Lumen	300
Scope (m)	288
Light beam	FOCUS
LED lifespan (hours)	25.000
Switch	YES
IP Protection	IP54
Color	YELLOW
Country of origin	CHINA
Material	PLASTIC - PC
Warranty	2 YEARS
Width (mm)	185
Depth (mm)	57
Height (mm)	65
Net weight (Kg)	0.340

## DESCRIPTION


ATEX II 1G Ex ia IIC T4 Ga (zone 0). CREE XP-G2 5W high power LED. 300 lumens, range 288 meters. Protection: IP57; rubber switch. The convenient metal hook allows you to hang the flashlight. It also features a powerful clip that allows you to carry the flashlight in a chest pocket. Works with 4 AA batteries (not included); battery life 13 hours. Inherently rugged polycarbonate and ABS construction. IP57: water and shock resistant.

## LOGISTICS DATA

Packing type	Blister
Blister pack format	F5
Pack length (mm)	155
Pack width (mm)	320
Pack height (mm)	70
Packed product weight (kg)	0.370

## LOGISTICS DATA

Inner width (cm)	58
Inner length (cm)	55
Inner height (cm)	16
Quantity in inner	6
Gross weight inner (kg)	2.800
ITF INNER	18003910109497
Master length (cm)	68
Master width (cm)	58
Master height (cm)	32
Quantity in master	36
Master gross weight (kg)	18.700
ITF MASTER	28003910109494
How many pieces on 80x120 pallet (pz)	216
INTRASTAT Code	85131000
DEEE	0.06
ECOLOGIC SCALES 2025	MLUMI020000
Country of origin	CHINA



Certifications:

	CLASS I DIV 1&2 GRP ABCD CLASS II DIV 1&2 GRP EFG CLASS III TEMP CODE: T4 IP54 FILE NUMBER:261379
	GAS:Ex ia IIC T4 Ga MINING:Ex ia Ma IECEx SIR 15.0062X
	Ⓜ I M1 Ex ia I Ma Ⓜ II 1G Ex ia IIC T4 Ga Sira 15ATEX2166X
	0518