



PACKING ☐ / ☒	INNER ☐ pcs	MASTER ☐ pcs
CARD+TIE	6	36



TECHNICAL DATA

Name	IG008
Color	BLACK
Country of origin	CHINA
Material	ALLUMINIUM ALLOY
Width (mm)	90
Depth (mm)	40
Height (mm)	115
Net weight (Kg)	0.290

DESCRIPTION

Our outdoor safe can be securely mounted on a wall, near your door, or wherever you like. It features a sturdy 4-digit combination lock (with a protective cover) that allows access to your keys by anyone you give the code to. The key safe allows you to safely store multiple keys (house, car, mailbox, B&B, etc.). Internal dimensions: 63 x 86 x 30 mm. External dimensions: 94 x 116 x 38 mm. This wall-mounted key safe is made of steel alloy: it is highly resistant to impacts and attempted opening (hammers, saws, prying, etc.), as well as weatherproof. Ideal for storing a spare key for your home or car. It's also convenient for storing an emergency key for your B&B, cleaning lady, etc. Waterproof and Weatherproof: The surface of the safe is waterproof, corrosion-resistant and weatherproof. Easy to install: The safe comes with clear instructions and a complete assembly kit. 4-digit combination reset: You can reset and change your password whenever you want, but don't lock the safe door until you've tested the combination!

LOGISTICS DATA

Packing type	CARD+TIE
Pack length (mm)	40
Pack width (mm)	220
Pack height (mm)	125
Packed product weight (kg)	0.310
Inner width (cm)	29
Inner length (cm)	26
Inner height (cm)	14
Quantity in inner	6
Gross weight inner (kg)	2.000
ITF INNER	18003910114002
Master length (cm)	47
Master width (cm)	29
Master height (cm)	43
Quantity in master	36
Master gross weight (kg)	12.800
ITF MASTER	28003910114009
How many pieces on 80x120 pallet (pz)	648
INTRASTAT Code	83030090

LOGISTICS DATA

ECOLOGIC SCALES 2025

N/A

Country of origin

CHINA



PERFETTO PER / PERFECT FOR:



COME IMPOSTARE IL CODICE / HOW TO SET THE CODE



1. Dial the original code 0000 to open the key lock box

2. Push the RESET lever to B



3. Set your favorite combination and push the lever to A

4. Close key lock box and try your new combination

