



PACKING	INNER	MASTER
/	pcs	pcs
Display	12	24



TECHNICAL DATA

Name	IL020S
Power supply	SOLAR
Power supply provided	YES
Type of power supply provided	SOLAR PANEL
How many batteries are used	1
Battery type	OTHER
Stack technology	NI-MH
Rated voltage (V)	12
Battery capacity (mAh)	40
Batteries provided	(NOT INCLUDED)
Power battery (Wh)	0.48
Battery class	9
Battery/battery weight (kg)	0.007
Charging time (h)	8
Maximum autonomy (h)	4
LED quantity	1
Lighting source	SMD LED
Lamp included	YES
Switch	YES
IP Protection	IP44
Insulation class	III
Dimmability	NOT DIMMABLE
Color	RED
Sold in display	12 PCES
Country of origin	CHINA
Material	PLASTIC - ABS
Standards	UN3496
Width (mm)	65
Depth (mm)	65
Height (mm)	120
Net weight (Kg)	0.054

DESCRIPTION

Medium electronic cemetery candle (12cm x 6.5cm diameter) with intermittent red light. Equipped with a flashing red light and an ON/OFF button, it is solar-powered: it recharges during the day with solar energy and lights up automatically in the dark or at night. Size: Height 12 cm x Diameter 6.5 cm / Light color: flashing red / Tealight color: red / Duration: 4 hours. Instructions for use: to turn on the tea light, set the switch located near the LED to ON. Equipped with a handy stake to plant the tea light in the grass.

LOGISTICS DATA

Packing type	Display
Pack length (mm)	65
Pack width (mm)	65
Pack height (mm)	120
Packed product weight (kg)	0.072
Inner width (cm)	32
Inner length (cm)	24
Inner height (cm)	15
Quantity in inner	12
Gross weight inner (kg)	1.000
ITF INNER	18003910116037
Master length (cm)	25
Master width (cm)	32
Master height (cm)	32
Quantity in master	24
Master gross weight (kg)	2.200
ITF MASTER	28003910116034
How many pieces on 80x120 pallet (pz)	648
INTRASTAT Code	94055000
DEEE	0.04
ECOLOGIC SCALES 2025	N/A
Country of origin	CHINA

