



PACKING	INNER	MASTER
/	pcs	pcs
Blister	12	72



TECHNICAL DATA

Name	DROP LED
Power supply	220V AC
Power supply provided	YES
Type of power supply provided	INTERNAL DRIVER
Lighting source	SMD LED
Electricity consumption (W)	0.3
Lumen	5
Light colour	3000K
LED lifespan (hours)	20000
Switch	NO
Plug	Type C/EF - 2 pin (Europlug/FR-DE Hybrid WITHOUT EARTH)
IP Protection	IP20
Insulation class	II
Dimmability	NOT DIMMABLE
Color	WHITE
Material	PLASTIC - PC
Warranty	2 YEARS
Width (mm)	55
Depth (mm)	55
Height (mm)	60
Net weight (Kg)	0.030

DESCRIPTION

3000K LED night light with twilight sensor. Turns on in the dark and off during the day. Minimum consumption: 0.3W, warm, soft light, perfect for bedrooms and hallways. AUTOMATICALLY SWITCHED ON IN DARKNESS – The built-in twilight sensor automatically switches the light on when it gets dark and switches it off automatically in the morning. WARM AND RELAXING LIGHT – 3000K light output, perfect for creating a welcoming and reassuring atmosphere in bedrooms, hallways and children's rooms. COMPACT AND DISCREET DESIGN – Only 55x55x60 mm, modern shape and neutral white color to integrate into any home environment. MINIMAL CONSUMPTION – Only 0.3W of power for a soft and pleasant light, ideal as a night light or step light.

LOGISTICS DATA

Packing type	Blister
Blister pack format	F1BIS
Pack length (mm)	100
Pack width (mm)	130
Pack height (mm)	70

LOGISTICS DATA

Packed product weight (kg)	0.045
Inner width (cm)	29
Inner length (cm)	26
Quantity in inner	12
Gross weight inner (kg)	0.700
ITF INNER	18003910117072
Master length (cm)	45
Master width (cm)	29
Master height (cm)	51
Quantity in master	72
Master gross weight (kg)	4.800
ITF MASTER	28003910117079
How many pieces on 80x120 pallet (pz)	1296
INTRASTAT Code	94051140
DEEE	0.04

