

- 2 x 16 pcs SMD LED
- 14 hours
- 2 hours
- OFF 100% Dimmable
- USB Type C
- Lithium 3.7V 1500 mAh INCLUDED



300 LUMEN



PACKING	INNER	MASTER
/	pcs	pcs
Colour box	6	24



TECHNICAL DATA

Name	TWIX NEW GENERATION
Power supply	RECHARGEABLE BATTERIES
Power supply provided	NO
How many batteries are used	1
Battery type	18650
Stack technology	LITHIUM-ION
Rated voltage (V)	3.7
Battery capacity (mAh)	1500
Batteries provided	INCLUDED
Power battery (Wh)	5.55
Battery class	9
Battery/battery weight (kg)	0.075
Charging time (h)	10
Maximum autonomy (h)	14
Lighting source	SMD LED
Lighting power (W)	5
Lumen	300
Light colour	5000K
Light beam	DIFFUSE
Switch	YES
IP Protection	IP20
Insulation class	III
Dimmability	YES
Color	WHITE
Material	PLASTIC - ABS
Standards	UN3481
Warranty	2 YEARS
Width (mm)	235
Depth (mm)	75
Height (mm)	60
Net weight (Kg)	0.351

DESCRIPTION

POWERFUL AND DIFFUSED LIGHT – Equipped with two highly efficient SMD LED tubes for a light output of up to 300 lumens with a wide, uniform beam, it's perfect for home, camping, or the workshop: it will never leave you in the dark! You can choose to turn on just one tube or two tubes simultaneously. The light is also dimmable for greater visual comfort. **LONG-LASTING RECHARGEABLE BATTERY** – Includes 1 replaceable 1500mAh lithium battery, providing up to 14 hours of battery life on a single charge (charging time: 10 hours). **ANTI-BLACKOUT FUNCTION** – Portable Rechargeable Emergency Lamp: when connected to the mains via a charger (not included), the lamp has an anti-blackout function that turns it on automatically in the event of a power failure. **MODERN AND FAST USB-C CHARGING** – USB-C cable included, compatible with standard chargers, power banks, or USB outlets. No more proprietary cables, maximum convenience anywhere. Charger not included. **COMPACT AND RELIABLE DESIGN** – Durable plastic construction, IP20 protection, 5000K neutral white light, 2-year warranty. Ideal as an emergency, work, or reading lamp.

LOGISTICS DATA

Packing type	Colour box
Pack length (mm)	90
Pack width (mm)	260
Pack height (mm)	70
Packed product weight (kg)	0.434
Inner width (cm)	30
Inner length (cm)	27
Inner height (cm)	27
Quantity in inner	6
Gross weight inner (kg)	2.700
ITF INNER	18003910140254
Master length (cm)	55
Master width (cm)	30
Master height (cm)	30
Quantity in master	24
Master gross weight (kg)	11.400
ITF MASTER	28003910140251
How many pieces on 80x120 pallet (pz)	864
INTRASTAT Code	85131000
DEEE	0.08



BATTERIA FACILMENTE SOSTITUIBILE DALL'UTENTE
BATTERY EASILY REPLACEABLE BY THE USER

