



PACKING 	INNER pcs	MASTER pcs
Colour Box	6	24



TECHNICAL DATA

Power supply	AC/DC
Power supply provided	YES
Type of power supply provided	AC/DC ADAPTOR
Battery type	18650
Stack technology	LITHIUM-ION
Rated voltage (V)	3,7
Battery capacity (mAh)	2400
Batteries provided	(INCLUDED)
Power battery (Wh)	8.88
Battery class	9
Battery/battery weight (kg)	0.079
Maximum autonomy (h)	1
LED quantity	2 x 24
Lighting source	SMD LED
Lighting power (W)	16
Lumen	500
Light beam	DIFFUSE
Switch	YES
Plug	Type C/EF - 2 pin (Europlug/FR-DE Hybrid)
Insulation class	III
Dimmability	DIMMABLE
Country of origin	CHINA
Material	PLASTIC - ABS
Standards	UN3481
Warranty	2 YEARS
Net weight (Kg)	0.580

DESCRIPTION

When connected to the mains it switches on automatically in the event of a power failure. Equipped with an external AC/DC transformer: convenient to remove, you will not have inconvenient wires to manage. 3 LED tubes with dimmer: you can choose the lighting power on 1 or 2 tubes. 1 tube: 250 lumens max. 2 tubes: 500 lumens max.; diffused and homogeneous light, non-aggressive but very bright at the same time (up to 16W). Equipped with a 3.7V 2400mAh lithium battery, it lasts from 14 hours (at 10% brightness) to 1 hour (100% brightness). It is extremely versatile: it can be hung (special slots on the back), it is equipped with a convenient extractable handle for carrying it around the house, it can be used standing (support base).

LOGISTICS DATA

Packing type	Colour Box
--------------	------------

LOGISTICS DATA

Pack length (mm)	460
Pack width (mm)	90
Pack height (mm)	70
Packed product weight (kg)	0.680
Inner width (cm)	44
Inner length (cm)	47
Inner height (cm)	19
Quantity in inner	6
Gross weight inner (kg)	4.080
ITF INNER	18003910106045
Master length (cm)	49
Master width (cm)	44
Master height (cm)	42
Quantity in master	24
Master gross weight (kg)	16.320
ITF MASTER	28003910106042
How many pieces on 80x120 pallet (pz)	384
INTRASTAT Code	85131000
DEEE	0.11
Country of origin	CHINA



MODELLI 
VELAMP



NESSUN PERICOLO!
IL CAVO SI STACCA!

