



| PACKING<br> | INNER<br> pcs | MASTER<br> pcs |
|--|--|---|
| <b>Blister</b>   | <b>6</b>   | <b>48</b>   |



## TECHNICAL DATA

| Power supply                | RECHARGEABLE BATTERIES   |
|-----------------------------|--------------------------|
| Power supply provided       | NO                       |
| Battery type                | 18650                    |
| Stack technology            | LITHIUM-ION              |
| Rated voltage (V)           | 3,7                      |
| Battery capacity (mAh)      | 2000                     |
| Batteries provided          | (INCLUDED)               |
| Power battery (Wh)          | 7.4                      |
| Battery class               | 9                        |
| Battery/battery weight (kg) | 0.036                    |
| Maximum autonomy (h)        | 5                        |
| Lighting source             | COB LED + HIGH POWER LED |
| Lighting power (W)          | 5                        |
| Lumen                       | 350                      |
| Scope (m)                   | 20                       |
| Light beam                  | DIFFUSE + FOCUS          |
| Switch                      | YES                      |
| IP Protection               | IP42                     |
| Sold in display             | 6 PCES                   |
| Country of origin           | CHINA                    |
| Material                    | PLASTIC - OTHER          |
| Standards                   | UN3481                   |
| Warranty                    | 2 YEARS                  |
| Width (mm)                  | 270                      |
| Depth (mm)                  | 350                      |
| Height (mm)                 | 300                      |
| Net weight (Kg)             | 0.175                    |

## DESCRIPTION

**2-in-1 Work Light:** The 5W COB front light is a powerful white work light that can illuminate a large area; the LED flashlight, on the other hand, is equipped with a 3W high-power LED, ideal for use as a spotlight for illuminating long distances. **270° Rotation:** The work light can be folded or rotated with a maximum rotation angle of 270 degrees, thus providing multi-angle lighting; ideal for auto repair, home lighting, power outages, and emergencies. **Rechargeable:** The lamp integrates a rechargeable 3.7V 2000mAh Li-Ion battery (type 18650); it comes with a micro USB cable for charging. **Magnet and hook:** The lamp features a strong magnet and a hanging hook, allowing you to attach it to metal surfaces or hang it, leaving your hands free for other tasks. **Durable Material:** High-quality aluminum body effectively dissipates heat, extending the life of the lamp; **Compact design;** Easy to carry and store; **Convenient to use:** You can use the flashlight for home, work, camping, and in emergencies.

## LOGISTICS DATA

|                                       |                |
|---------------------------------------|----------------|
| Packing type                          | Blister        |
| Pack length (mm)                      | 30             |
| Pack width (mm)                       | 110            |
| Pack height (mm)                      | 320            |
| Packed product weight (kg)            | 0.216          |
| Inner width (cm)                      | 53             |
| Inner length (cm)                     | 26             |
| Inner height (cm)                     | 35             |
| Quantity in inner                     | 6              |
| Gross weight inner (kg)               | 2.590          |
| ITF INNER                             | 8003910106659  |
| Master length (cm)                    | 55             |
| Master width (cm)                     | 53             |
| Master height (cm)                    | 37             |
| Quantity in master                    | 48             |
| Master gross weight (kg)              | 10.380         |
| ITF MASTER                            | 18003910106656 |
| How many pieces on 80x120 pallet (pz) | 576            |
| INTRASTAT Code                        | 85131000       |
| DEEE                                  | 0.02           |
| ECOLOGIC SCALES 2025                  | MLUMI010000    |
| Country of origin                     | CHINA          |

