

DATA SHEET

FONZIE: 500-lumen work light with charging base. LED + UV + flashlight.

- 1 x COB LED
1 x 5000 LED
1 x UV
- 500Lm
- 5 Hours
- 15m
- Diffuse Light
- Focus Light
- Li-Ion
3.7V 2000mAh
(included)



**500
LUMEN**



PACKING	INNER	MASTER
	pcs	pcs
Blister	6	24



6500K

TECHNICAL DATA

Name	FONZIE
Power supply	AC/DC
Power supply provided	NO
How many batteries are used	1
Battery type	18650
Stack technology	LITHIUM-ION
Rated voltage (V)	3.7
Battery capacity (mAh)	2000
Batteries provided	INCLUDED
Power battery (Wh)	7.4
Battery class	9
Charging time (h)	8
Maximum autonomy (h)	5
Lighting source	COB LED + HIGH POWER LED
Lighting power (W)	5
Lumen	500
Light colour	6500K
Scope (m)	15
Light beam	DIFFUSE + FOCUS
LED lifespan (hours)	20000
Switch	YES
Functions	PANEL LIGHT, FLASHLIGHT, UV LIGHT
IP Protection	IP20
Insulation class	III
Dimmability	DIMMABLE
Color	RED
Material	PLASTIC - ABS
Standards	UN3481
Warranty	2 YEARS
Width (mm)	320
Depth (mm)	150
Height (mm)	90
Net weight (Kg)	0.390

DESCRIPTION

3-in-1 rechargeable LED flashlight with COB light, flashlight, and UV. 500 lumens, 18650 battery included, dimmable, up to 5 hours of battery life. Ideal for workshops, inspections, and everyday use. 3-IN-1 LIGHTING – Combines a COB headlamp, high-power LED flashlight, and UV light for inspection and surface detection. A versatile tool for every need. HIGH POWER AND BATTERY LIFE – Emits up to 500 lumens of brightness for 5 hours of continuous use. The adjustable beam (wide or focused) offers maximum flexibility. USB RECHARGEABLE – Equipped with a 2000mAh 18650 lithium battery and included USB cable. It charges in about 8 hours and offers a long battery life. DIMMABLE FUNCTION – Easily adjust the light intensity to suit any situation, from emergency lighting to professional use.

LOGISTICS DATA

Packing type	Blister
Pack length (mm)	150
Pack width (mm)	320
Pack height (mm)	90
Packed product weight (kg)	0.390
Inner width (cm)	36
Inner length (cm)	34
Inner height (cm)	17
Quantity in inner	6
Gross weight inner (kg)	2.500
ITF INNER	18003910140001
Master length (cm)	68
Master width (cm)	36
Master height (cm)	36
Quantity in master	24
Master gross weight (kg)	10.600
ITF MASTER	28003910140008
How many pieces on 80x120 pallet (pz)	288
INTRASTAT Code	85131000
DEEE	0.08

