



PACKING	INNER	MASTER
/	pcs	pcs
Colour Box	6	18



TECHNICAL DATA

Power supply	RECHARGEABLE BATTERIES
Power supply provided	YES
Type of power supply provided	AC/DC ADAPTOR +12V CAR ADAPTOR
Battery type	18650
Stack technology	LITHIUM-ION
Rated voltage (V)	3,7
Battery capacity (mAh)	2400
Batteries provided	(INCLUDED)
Power battery (Wh)	8.88
Battery class	9
Battery/battery weight (kg)	0.044
Maximum autonomy (h)	3
LED quantity	1
Lighting source	HIGH POWER LED
Lighting power (W)	5
Lumen	350
Scope (m)	574
Light beam	FOCUS
IP Protection	IP44
Mechanical strength (IK)	IK08
Country of origin	CHINA
Material	PLASTIC - OTHER
Standards	UN3481
Warranty	2 YEARS
Width (mm)	208
Depth (mm)	144
Height (mm)	162
Net weight (Kg)	0.895

DESCRIPTION

5W high-power LED: 350 lumens, visible beam at 574 meters; high-performance Velamp reflector; 30° focused light. Rechargeable: 2 chargers included (home and car); strap, on-board 18650 3.7V 2Ah Li-Ion battery; battery life 3.6 hours (central light at 50%) and 1.8 hours (central light at 100%). Adjustable support, can be installed on a tripod. It turns on automatically in the event of a blackout. Ultra-resistant nylon construction (IK08); IP44 waterproof; large handle, comfortable even with gloves; the ideal companion for industry, professionals, hiking, trekking, and camping.

LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	170
Pack width (mm)	210
Pack height (mm)	140
Packed product weight (kg)	0.950
Inner width (cm)	53
Inner length (cm)	51
Inner height (cm)	23
Quantity in inner	6
Gross weight inner (kg)	5.700
ITF INNER	18003910003887
Master length (cm)	69
Master width (cm)	53
Master height (cm)	31
Quantity in master	18
Master gross weight (kg)	17.110
ITF MASTER	28003910003884
How many pieces on 80x120 pallet (pz)	180
INTRASTAT Code	85131000
DEEE	0.11
ECOLOGIC SCALES 2025	MLUMI030000
Country of origin	CHINA

