



PACKING	INNER	MASTER
 / 	 pcs	 pcs
Bulk	6	18



TECHNICAL DATA

Power supply	DRY BATTERIES
Power supply provided	NO
Battery type	4R25 / 4D
Batteries provided	(NOT INCLUDED)
Maximum autonomy (h)	40
LED quantity	1
Lighting source	HIGH POWER LED
Lighting power (W)	1
Lumen	100
Scope (m)	150
Light beam	FOCUS
IP Protection	IP44
Mechanical strength (IK)	IK08
Country of origin	CHINA
Material	PLASTIC - OTHER
Warranty	2 YEARS
Width (mm)	208
Depth (mm)	144
Height (mm)	162
Net weight (Kg)	0.654

DESCRIPTION

1W high-power LED: 100 lumens, beam visible at 150+ meters; high-performance Velamp reflector; 30° focused light. Works with one 4R25 battery or four LR20 batteries. Batteries are NOT included. Adapter for four LR20 batteries included. Battery life up to 40 hours. Swivel mount, tripod mountable. Carrying strap included. Ultra-resistant Nylon structure (IK08); IP44 waterproof; large handle, comfortable even with gloves; the ideal companion for industry, professionals, walking, trekking, camping.

LOGISTICS DATA

Packing type	Bulk
Pack length (mm)	210
Pack width (mm)	200
Pack height (mm)	140
Packed product weight (kg)	0.700
Inner width (cm)	65
Inner length (cm)	28
Inner height (cm)	22

LOGISTICS DATA

Quantity in inner	6
Gross weight inner (kg)	3.920
ITF INNER	18003910003870
Master length (cm)	31
Master width (cm)	65
Master height (cm)	43
Quantity in master	18
Master gross weight (kg)	11.770
ITF MASTER	28003910003877
How many pieces on 80x120 pallet (pz)	252
INTRASTAT Code	85131000
DEEE	0.11
ECOLOGIC SCALES 2025	MLUMI030000
Country of origin	CHINA

