



PACKING	INNER	MASTER
/	pcs	pcs
Blister	6	24



TECHNICAL DATA

Power supply	RECHARGEABLE BATTERIES
Power supply provided	YES
Type of power supply provided	AC/DC ADAPTOR +12V CAR ADAPTOR
How many batteries are used	1
Battery type	18650
Stack technology	LITHIUM-ION
Rated voltage (V)	3,7
Battery capacity (mAh)	2200
Batteries provided	(INCLUDED)
Power battery (Wh)	8.14
Battery class	9
Battery/battery weight (kg)	0.045
Charging time (h)	3.5
Maximum autonomy (h)	9
Lighting source	SMD LED
Lighting power (W)	3
Lumen	300
Lighting source 2	HIGH POWER LED
Lighting power 2 (W)	2
Scope (m)	30
Light beam	DIFFUSE + FOCUS
LED lifespan (hours)	30.000
Beam angle (°)	Panel: diffuse 60°, Torch: focus 15°
Switch	YES
Plug	Type C/EF - 2 pin (Europlug/FR-DE Hybrid)
IP Protection	IP54
Mechanical strength (IK)	IK07
Insulation class	III
Color	YELLOW
Country of origin	CHINA
Material	PLASTIC - PC
Standards	UN3481
Warranty	2 YEARS
Width (mm)	35
Depth (mm)	32
Height (mm)	180
Net weight (Kg)	0.215

DESCRIPTION

2-in-1 Work Light: The 300-lumen 3W SMD flashlight is a powerful white work light that can illuminate a large area; the LED flashlight is equipped with a 2W high-power LED, ideal for use as a spotlight for illuminating long distances; range up to 30 meters. Rechargeable: the lamp integrates a rechargeable 3.7V 2200mAh Li-Ion battery (type 18650); it comes with 2 chargers (12V car and 220V home) for charging; battery life: 5 hours (lantern); 9 hours (torch); recharges in 3.5 hours. Magnet: The back of the lamp has a strong magnet: it allows you to attach it to metal surfaces, leaving your hands free for other tasks. Clip: The lamp has a clip that allows you to hang the lamp easily. Waterproof (IP54) and robust (IK07, polycarbonate body), it is convenient to use; it can be used both indoors and outdoors, for home, work, camping, in an emergency, in the car, in the garage, at work (electricians, mechanics, plumbers, etc.).

LOGISTICS DATA

Packing type	Blister
Blister pack format	F6
Pack length (mm)	70
Pack width (mm)	100
Pack height (mm)	320
Packed product weight (kg)	0.265
Inner width (cm)	52
Inner length (cm)	13
Inner height (cm)	34
Quantity in inner	6
Gross weight inner (kg)	1.590
ITF INNER	18003910904450
Master length (cm)	31
Master width (cm)	52
Master height (cm)	36
Quantity in master	24
Master gross weight (kg)	6.360
ITF MASTER	28003910904457
How many pieces on 80x120 pallet (pz)	384
INTRASTAT Code	85131000
DEEE	0.06
ECOLOGIC SCALES 2025	MLUMI010000
Country of origin	CHINA

