



PACKING	INNER	MASTER
/	pcs	pcs
Display	12	72



TECHNICAL DATA

Name	PAGAY
Power supply	DRY BATTERIES
How many batteries are used	3
Battery type	AA
Batteries provided	NOT INCLUDED
Maximum autonomy (h)	8
LED quantity	1
Lighting source	COB LED
Lighting power (W)	3
Lumen	280
Light colour	6000K
Scope (m)	15
Light beam	DIFFUSE
LED lifespan (hours)	20000
Switch	YES
Functions	ON / OFF
IP Protection	IP20
Mechanical strength (IK)	IK04
Dimmability	NOT DIMMABLE
Color	BLACK
Material	PLASTIC - ABS
Warranty	2 YEARS
Width (mm)	210
Depth (mm)	60
Height (mm)	30
Net weight (Kg)	0.111

DESCRIPTION

3W LED INSPECTION LIGHT: 200 lumens. Simply press the ON/OFF button to turn on/off the bright, natural light; the hook and magnet make it easy to hang on metal surfaces; powered by 3 AAA batteries (not included); this flashlight is ideal for home, work, camping, and car emergency kits. **LIGHTING:** Ideal light for covering a large area at a short distance; perfect for precision work such as electrical and plumbing. **HANDS-FREE LIGHT:** This work light with a 120° adjustable and retractable hook allows you to hang this lamp anywhere; furthermore, thanks to the sturdy rear magnet, you can easily attach the lamp to metal surfaces on the hood of a car for hands-free work. **ROBUST LIGHT:** Work light with a robust design that runs on 3 AA batteries (not included). Completely cordless, it gives you the freedom to move around your workshop without worrying about wires. Perfect LED light for DIY, construction sites, home use, hiking, cars...

LOGISTICS DATA

Packing type	Display
Pack length (mm)	60
Pack width (mm)	210
Pack height (mm)	30
Packed product weight (kg)	0.111
Inner width (cm)	25
Inner length (cm)	23
Inner height (cm)	23
Quantity in inner	12
Gross weight inner (kg)	1.600
ITF INNER	18003910140049
Master length (cm)	55
Master width (cm)	25
Master height (cm)	47
Quantity in master	72
Master gross weight (kg)	10.600
ITF MASTER	28003910140046
How many pieces on 80x120 pallet (pz)	1512
INTRASTAT Code	85131000
DEEE	0.04

