



PACKING 	INNER  pcs	MASTER  pcs
Polybag	12	24



TECHNICAL DATA

Power supply	220V AC
Power supply provided	YES
Type of power supply provided	INTERNAL DRIVER
LED quantity	1
Lighting source	E27 BULB (NOT INCLUDED)
Lighting power (W)	Max 60
Light beam	DIFFUSE
Lamp included	(NOT INCLUDED)
Attachment	E27
Power cord length (cm)	500
Cable section	H05VV-F 2x0.75mm ²
Switch	YES
Plug	Type C/EF - 2 pin (Europlug/FR-DE Hybrid)
Insulation class	II
Country of origin	CHINA
Material	PLASTIC + ALUMINIUM
Warranty	2 YEARS
Width (mm)	325
Depth (mm)	90
Height (mm)	90
Net weight (Kg)	0.508

DESCRIPTION

Portable work lamp for use in the garage, cellar, workshop, construction site with switch and 5-meter cable. Equipped with an adjustable hook for hanging the product. E27 lamp holder (max. 60W bulb not included). 5 meter neoprene cable H05VV-F 2x0.75mm²; 10A flat socket. A DIY classic.

LOGISTICS DATA

Packing type	Polybag
Pack length (mm)	70
Pack width (mm)	150
Pack height (mm)	410
Packed product weight (kg)	0.528
Inner width (cm)	56
Inner length (cm)	42
Inner height (cm)	14
Quantity in inner	12

LOGISTICS DATA

Gross weight inner (kg)	9.610
ITF INNER	18003910902197
Master length (cm)	43
Master width (cm)	56
Master height (cm)	30
Quantity in master	24
Master gross weight (kg)	19.220
ITF MASTER	28003910902194
How many pieces on 80x120 pallet (pz)	384
INTRASTAT Code	85131000
DEEE	0.06
ECOLOGIC SCALES 2025	MLUMIO30000
Country of origin	CHINA

