



PACKING 	INNER  pcs	MASTER  pcs
Polybag	12	24



## TECHNICAL DATA

Power supply	220V AC
Power supply provided	YES
Type of power supply provided	INTERNAL DRIVER
LED quantity	1
Lighting source	E27 BULB (NOT INCLUDED)
Lighting power (W)	Max 60
Light beam	DIFFUSE
Lamp included	(NOT INCLUDED)
Attachment	E27
Power cord length (cm)	1000
Cable section	H05VV-F 2x0.75mm <sup>2</sup>
Switch	YES
Plug	Type C/EF - 2 pin (Europlug/FR-DE Hybrid)
Insulation class	II
Country of origin	CHINA
Material	PLASTIC + ALUMINIUM
Warranty	2 YEARS
Width (mm)	325
Depth (mm)	90
Height (mm)	90
Net weight (Kg)	0.820

## DESCRIPTION

Portable work lamp for use in the garage, cellar, workshop, construction site with switch and 10-meter cable. Equipped with an adjustable hook for hanging the product. E27 lamp holder (max. 60W bulb not included). 10-meter H05VV-F 2x0.75mm<sup>2</sup> cable; 10A plug. A DIY classic.

## LOGISTICS DATA

Packing type	Polybag
Pack length (mm)	100
Pack width (mm)	150
Pack height (mm)	430
Packed product weight (kg)	1.100
Inner width (cm)	49
Inner length (cm)	42
Inner height (cm)	21
Quantity in inner	12

## LOGISTICS DATA

Gross weight inner (kg)	13.200
ITF INNER	18003910902715
Master length (cm)	44
Master width (cm)	49
Master height (cm)	46
Quantity in master	24
Master gross weight (kg)	26.400
ITF MASTER	28003910902712
How many pieces on 80x120 pallet (pz)	144
INTRASTAT Code	85131000
DEEE	0.11
ECOLOGIC SCALES 2025	MLUMIO30000
Country of origin	CHINA

