



110°



PACKING	INNER	MASTER
/	pcs	pcs
Colour Box	10	200



TECHNICAL DATA

Power supply	220V AC
Lighting source	SMD LED
Lighting power (W)	8.5
Electricity consumption (W)	8.5
Incandescent equivalent power (W)	60
Warm up time to 95%	<2S
Lumen	806
IRC	≥80
Light beam	DIFFUSE
Beam angle (°)	110°
LED lifespan (hours)	20.000
Material	PLASTIC + ALUMINIUM
Number of on-off cycles	>10000
Bulb shape	PAR16
Attachment	GU10 LAMP
Energy class	F
Light colour	6500K
Dimmability	NOT DIMMABLE
Absorption (A)	0.065
Energy Label	https://www.velamp.com/energylabels2021/LB108-65K.jpg
Code eprel	789546
Link db eprel	http://eprel.ec.europa.eu/qr/789546
Warranty	2 YEARS
Width (mm)	50
Depth (mm)	50
Height (mm)	58
Net weight (Kg)	0.028
Handbook	https://www.velamp.com/manuali/ISTRUZIONI_LAMPADINE_ALL_LANGUAGE.pdf
Eprel card	https://eprel.ec.europa.eu/fiches/lightsources/Fiche_789546_EN.pdf

DESCRIPTION

With a lifespan of 20,000 hours (well beyond the standards you will find on the market), the bulb can last over 15 years (with 3 hours of daily use). It produces 806 lumens of instant brightness, without having to wait for the bulb to warm up. The opalized diffuser makes the light uniform, glare-free, and well-diffused (110° beam angle). With a color temperature of 6500 Kelvin, the bulb provides cool white light, creating a luminous atmosphere in any room. Perfect for any room in the home, such as the bedroom, living room, bathroom, and office. Ideal for replacing 60W halogen bulbs in desk lamps, wall lamps, and decorative spotlights. It consumes 9 watts of energy and costs less than 3 euros a year to operate, offering significant energy savings compared to an incandescent light bulb. It's equivalent to a 60W halogen bulb. The high color rendering index (CRI > 80) offers natural, vivid colors. This bulb is not dimmable and not compatible with dimmer switches.

LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	50
Pack width (mm)	50
Pack height (mm)	55
Packed product weight (kg)	7.200
Inner width (cm)	57
Inner length (cm)	25
Inner height (cm)	11
Quantity in inner	10
Gross weight inner (kg)	0.300
ITF INNER	18003910110073
Master length (cm)	57
Master width (cm)	57
Master height (cm)	17
Quantity in master	200
Master gross weight (kg)	7.200
ITF MASTER	28003910110070
How many pieces on 80x120 pallet (pz)	3200
INTRASTAT Code	85395200
DEEE	0.1
ECOLOGIC SCALES 2025	N/A
Country of origin	CHINA

