



LED

NATURAL WHITE
4000K
LUCE NATURALE

330°

E27

1055 5W
LUMEN ∠360°
= 75W
EQUIVALENT



4000K



PACKING ☐ / ☑	INNER ☐ pcs	MASTER ☐ pcs
Colour Box	10	100



TECHNICAL DATA

Power supply	220V AC
Type of power supply provided	INTERNAL DRIVER
Lighting source	CRYSTAL LED FILAMENT
Lighting power (W)	5
Electricity consumption (W)	5
Incandescent equivalent power (W)	75
Lumen	1055
IRC	>80
Light beam	DIFFUSE
Beam angle (°)	330°
LED lifespan (hours)	20.000
Material	GLASS
Number of on-off cycles	>10000
Bulb shape	A60
Attachment	E27 LAMP
Energy class	A
Light colour	4000K
Dimmability	NOT DIMMABLE
Lamp included	(INCLUDED)
Energy Label	https://www.velamp.com/energylabels2021/LB205AS-40K.jpg
Code eprel	1550487
Link db eprel	http://eprel.ec.europa.eu/qr/1550487
Warranty	2 YEARS
Width (mm)	60
Depth (mm)	60
Height (mm)	108
Net weight (Kg)	0.035
Handbook	https://www.velamp.com/manuali/ISTRUZIONI_LAMPADINE_ALL_LANGUAGE.pdf
Eprel card	https://eprel.ec.europa.eu/fiches/lightsources/Fiche_1550487_EN.pdf

DESCRIPTION

With a lifespan of 20,000 hours (well beyond the standards you will find on the market), the bulb can last over 15 years (with 3 hours of daily use). It produces 1055 lumens of instant brightness, without having to wait for the bulb to warm up. The transparent diffuser makes the light very similar to old incandescent bulbs. The "LED filament" technology provides a hyper-diffused 330° beam. With a color temperature of 3000 Kelvin, the bulb provides warm white light, creating a comfortable atmosphere in any room. Perfect for any room in the home, such as the bedroom, living room, bathroom, and office. Ideal for bedside lamps, range hood lamps, study lights, chandeliers, and wall lamps. Energy class A light bulb: the highest level of energy saving and efficiency. It consumes 5 watts of energy and costs less than €2.50 per year, allowing for significant energy savings compared to an incandescent bulb. Equivalent to a traditional 75W bulb. The high color rendering index (CRI > 80) offers natural, vivid colors. This bulb is not dimmable and not compatible with dimmer switches.

LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	60
Pack width (mm)	60
Pack height (mm)	110
Packed product weight (kg)	6.000
Inner width (cm)	33
Inner length (cm)	31
Inner height (cm)	11
Quantity in inner	10
Gross weight inner (kg)	0.500
ITF INNER	18003910112930
Master length (cm)	68
Master width (cm)	33
Master height (cm)	26
Quantity in master	100
Master gross weight (kg)	6.000
ITF MASTER	28003910112937
How many pieces on 80x120 pallet (pz)	1200
INTRASTAT Code	85395200
DEEE	0.1
ECOLOGIC SCALES 2025	N/A
Country of origin	CHINA

