



PACKING	INNER	MASTER
/	pcs	pcs
<b>Colour Box</b>	<b>10</b>	<b>100</b>



## TECHNICAL DATA

Power supply	220V AC
Lighting source	OPAL LED FILAMENT
Lighting power (W)	8
Electricity consumption (W)	8
Incandescent equivalent power (W)	75
Warm up time to 95%	<2S
Lumen	1055
IRC	≥80
Light beam	DIFFUSE
Beam angle (°)	330°
LED lifespan (hours)	20.000
Material	GLASS
Number of on-off cycles	>10000
Bulb shape	A60
Attachment	E27 LAMP
Energy class	E
Light colour	6500K
Dimmability	NOT DIMMABLE
Absorption (A)	0.065
Energy Label	<a href="https://www.velamp.com/energylabels2021/LB208M-65K.jpg">https://www.velamp.com/energylabels2021/LB208M-65K.jpg</a>
Code eprel	711945
Link db eprel	<a href="http://eprel.ec.europa.eu/qr/711945">http://eprel.ec.europa.eu/qr/711945</a>
Warranty	2 YEARS
Width (mm)	60
Depth (mm)	60
Height (mm)	108
Net weight (Kg)	0.031
Handbook	<a href="https://www.velamp.com/manuali/ISTRUZIONI_LAMPADINE_ALL_LANGUAGE.pdf">https://www.velamp.com/manuali/ISTRUZIONI_LAMPADINE_ALL_LANGUAGE.pdf</a>
Eprel card	<a href="https://eprel.ec.europa.eu/fiches/lightsources/Fiche_711945_EN.pdf">https://eprel.ec.europa.eu/fiches/lightsources/Fiche_711945_EN.pdf</a>

## DESCRIPTION

With a lifespan of 20,000 hours (well beyond the standards you will find on the market), the bulb can last over 15 years (with 3 hours of daily use). It produces 1055 lumens of instant brightness, without having to wait for the bulb to warm up. The opalized diffuser makes the light very uniform and glare-free. The effect is very similar to old incandescent bulbs. The "LED filament" technology provides a hyper-diffused 330° beam. With a color temperature of 6500 Kelvin, the bulb provides cool white light, creating a bright and functional atmosphere in any room. Perfect for any room in the home, such as the bedroom, living room, bathroom, and office. It consumes 8 watts of energy and costs less than €2.50 per year to operate, offering significant energy savings compared to an incandescent light bulb. It's equivalent to a traditional 75W light bulb. The high color rendering index (CRI > 80) offers natural, vivid colors. This bulb is not dimmable and not compatible with dimmer switches.

## LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	60
Pack width (mm)	60
Pack height (mm)	110
Packed product weight (kg)	4.700
Inner width (cm)	33
Inner length (cm)	30
Inner height (cm)	22
Quantity in inner	10
Gross weight inner (kg)	0.400
ITF INNER	18003910109077
Master length (cm)	63
Master width (cm)	33
Master height (cm)	24
Quantity in master	100
Master gross weight (kg)	4.700
ITF MASTER	28003910109074
How many pieces on 80x120 pallet (pz)	1500
INTRASTAT Code	85395200
DEEE	0.1
ECOLOGIC SCALES 2025	N/A
Country of origin	CHINA

