



LED

NATURAL WHITE
4000K
LUCE NATURALE

200°

B22

1520 LUMEN
15W
= 100W
EQUIVALENT



PACKING	INNER	MASTER
/	pcs	pcs
Colour Box	10	80



TECHNICAL DATA

Power supply	220V AC
Lighting source	SMD LED
Lighting power (W)	15
Electricity consumption (W)	15
Incandescent equivalent power (W)	100
Warm up time to 95%	<2S
Lumen	1521
IRC	≥80
Light beam	DIFFUSE
Beam angle (°)	200°
LED lifespan (hours)	20.000
Material	PLASTIC + ALUMINIUM
Number of on-off cycles	>10000
Bulb shape	A60
Attachment	E27 LAMP
Energy class	F
Light colour	4000K
Dimmability	NOT DIMMABLE
Absorption (A)	0.13
Energy Label	https://www.velamp.com/energylabels2021/LB215SF-40K.jpg
Code eprel	719284
Link db eprel	http://eprel.ec.europa.eu/qr/719284
Warranty	2 YEARS
Width (mm)	60
Depth (mm)	60
Height (mm)	123
Net weight (Kg)	0.041
Handbook	https://www.velamp.com/manuali/ISTRUZIONI_LAMPADINE_ALL_LANGUAGE.pdf
Eprel card	https://eprel.ec.europa.eu/fiches/lightsources/Fiche_719284_EN.pdf

DESCRIPTION

With a lifespan of 20,000 hours (well beyond the standards you'll find on the market), the bulb can last over 15 years (with 3 hours of daily use). PLEASE NOTE: The base is a B22 "bayonet" type, specifically for France. It produces 1520 lumens of instant brightness, without having to wait for the bulb to warm up. The opalized diffuser makes the light uniform, glare-free, and well-diffused (200° beam angle). With a color temperature of 4000 Kelvin, the bulb provides natural white light, creating a bright atmosphere in any room. Perfect for any room in the home, such as the bedroom, living room, bathroom, and office. It consumes 15 watts of energy and costs less than €2.50 per year to operate, offering significant energy savings compared to an incandescent light bulb. It's equivalent to a traditional 100W light bulb. The high color rendering index (CRI > 80) offers natural, vivid colors. This bulb is not dimmable and not compatible with dimmer switches.

LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	60
Pack width (mm)	60
Pack height (mm)	125
Packed product weight (kg)	5.000
Inner width (cm)	54
Inner length (cm)	30
Inner height (cm)	25
Quantity in inner	10
Gross weight inner (kg)	0.550
ITF INNER	18003910108780
Master length (cm)	33
Master width (cm)	54
Master height (cm)	30
Quantity in master	80
Master gross weight (kg)	5.000
ITF MASTER	28003910108787
How many pieces on 80x120 pallet (pz)	1200
INTRASTAT Code	85395200
DEEE	0.1
ECOLOGIC SCALES 2025	N/A
Country of origin	CHINA

