



PACKING	INNER	MASTER
/	pcs	pcs
<b>Colour Box</b>	<b>10</b>	<b>40</b>



## TECHNICAL DATA

Power supply	220V AC
Type of power supply provided	INTERNAL DRIVER
Lighting source	SMD LED
Lighting power (W)	20
Electricity consumption (W)	20
Incandescent equivalent power (W)	150
Lumen	2500
IRC	>80
Light beam	DIFFUSE
Beam angle (°)	200°
LED lifespan (hours)	20.000
Material	PLASTIC + ALUMINIUM
Number of on-off cycles	>10000
Bulb shape	A95
Attachment	E27 LAMP
Energy class	E
Light colour	3000K
Dimmability	NOT DIMMABLE
Lamp included	(INCLUDED)
Energy Label	<a href="https://www.velamp.com/energylabels2021/LB221S-30K.jpg">https://www.velamp.com/energylabels2021/LB221S-30K.jpg</a>
Code eprel	1550309
Link db eprel	<a href="http://eprel.ec.europa.eu/qr/1550309">http://eprel.ec.europa.eu/qr/1550309</a>
Warranty	2 YEARS
Width (mm)	90
Depth (mm)	90
Height (mm)	173
Net weight (Kg)	0.095
Handbook	<a href="https://www.velamp.com/manuali/ISTRUZIONI_LAMPADINE_ALL_LANGUAGE.pdf">https://www.velamp.com/manuali/ISTRUZIONI_LAMPADINE_ALL_LANGUAGE.pdf</a>
Eprel card	<a href="https://eprel.ec.europa.eu/fiches/lightsources/Fiche_1550309_EN.pdf">https://eprel.ec.europa.eu/fiches/lightsources/Fiche_1550309_EN.pdf</a>

## DESCRIPTION

With a lifespan of 20,000 hours (well beyond the standards you will find on the market), the bulb can last over 15 years (with 3 hours of daily use). It produces 2500 lumens of instant brightness, without having to wait for the bulb to warm up. The opalized diffuser makes the light uniform, glare-free, and well-diffused (200° beam angle). With a color temperature of 3000 Kelvin, the bulb provides warm white light, creating a comfortable atmosphere in any room. Perfect for any room in the home, such as the bedroom, living room, bathroom, and office. It consumes 20 watts of energy and costs less than 4 euros a year to operate, offering significant energy savings compared to an incandescent light bulb. It's equivalent to a traditional 150W light bulb. The high color rendering index (CRI > 80) offers natural, vivid colors. This bulb is not dimmable and not compatible with dimmer switches.

## LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	175
Pack width (mm)	100
Pack height (mm)	175
Packed product weight (kg)	6.900
Inner width (cm)	44
Inner length (cm)	50
Inner height (cm)	18
Quantity in inner	10
Gross weight inner (kg)	1.500
ITF INNER	18003910112701
Master length (cm)	50
Master width (cm)	44
Master height (cm)	39
Quantity in master	40
Master gross weight (kg)	6.900
ITF MASTER	28003910112708
How many pieces on 80x120 pallet (pz)	320
INTRASTAT Code	85395200
ECOLOGIC SCALES 2025	N/A
Country of origin	CHINA

