



PACKING	INNER	MASTER
/	pcs	pcs
<b>Colour Box</b>	<b>10</b>	<b>32</b>



## TECHNICAL DATA

Power supply	220V AC
Type of power supply provided	INTERNAL DRIVER
Lighting source	SMD LED
Lighting power (W)	20
Electricity consumption (W)	20
Incandescent equivalent power (W)	150
Lumen	2500
IRC	>80
Light beam	DIFFUSE
Beam angle (°)	240°
LED lifespan (hours)	20.000
Material	PLASTIC + ALUMINIUM
Number of on-off cycles	>10000
Bulb shape	G120
Attachment	E27 LAMP
Energy class	E
Light colour	4000K
Dimmability	NOT DIMMABLE
Lamp included	(INCLUDED)
Energy Label	<a href="https://www.velamp.com/energylabels2021/LB222S-40K.jpg">https://www.velamp.com/energylabels2021/LB222S-40K.jpg</a>
Code eprel	1550296
Link db eprel	<a href="http://eprel.ec.europa.eu/qr/1550296">http://eprel.ec.europa.eu/qr/1550296</a>
Warranty	2 YEARS
Width (mm)	120
Depth (mm)	120
Height (mm)	160
Net weight (Kg)	0.101
Handbook	<a href="https://www.velamp.com/manuali/ISTRUZIONI_LAMPADINE_ALL_LANGUAGE.pdf">https://www.velamp.com/manuali/ISTRUZIONI_LAMPADINE_ALL_LANGUAGE.pdf</a>
Eprel card	<a href="https://eprel.ec.europa.eu/fiches/lightsources/Fiche_1550296_EN.pdf">https://eprel.ec.europa.eu/fiches/lightsources/Fiche_1550296_EN.pdf</a>

## DESCRIPTION

With a lifespan of 20,000 hours (well beyond the standards you will find on the market), the bulb can last over 15 years (with 3 hours of daily use). It produces 2500 lumens of instant brightness, without having to wait for the bulb to warm up. The opalized diffuser makes the light uniform, glare-free, and well-diffused (240° beam angle). With a color temperature of 4000 Kelvin, the bulb provides natural white light, creating a comfortable atmosphere in any room. Perfect for any room in the home, such as the bedroom, living room, bathroom, and office. It consumes 20 watts of energy and costs less than 4 euros a year to operate, offering significant energy savings compared to an incandescent light bulb. It's equivalent to a traditional 150W light bulb. The high color rendering index (CRI > 80) offers natural, vivid colors. This bulb is not dimmable and not compatible with dimmer switches.

## LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	125
Pack width (mm)	125
Pack height (mm)	170
Packed product weight (kg)	7.000
Inner width (cm)	52
Inner length (cm)	50
Inner height (cm)	18
Quantity in inner	10
Gross weight inner (kg)	1.500
ITF INNER	18003910112688
Master length (cm)	53
Master width (cm)	52
Master height (cm)	39
Quantity in master	32
Master gross weight (kg)	7.000
ITF MASTER	28003910112685
How many pieces on 80x120 pallet (pz)	320
INTRASTAT Code	85395200
ECOLOGIC SCALES 2025	N/A
Country of origin	CHINA

