



PACKING	INNER	MASTER
/	pcs	pcs
<b>Colour box</b>	<b>10</b>	<b>100</b>



## TECHNICAL DATA

Name	LB306M-30K
Power supply	220V AC
Power supply provided	YES
Type of power supply provided	INTERNAL DRIVER
Lighting source	OPAL LED FILAMENT
Light technology	LED FILAMENT OPAL
Lighting power (W)	6
Electricity consumption (W)	6
Incandescent equivalent power (W)	60
Starting time	<0.5S
Warm up time to 95%	<2S
Lumen	806
IRC	≥80
Light beam	DIFFUSE
Beam angle (°)	330°
LED lifespan (hours)	20.000
Material	GLASS
Number of on-off cycles	>10000
Bulb shape	C35
Attachment	E14 LAMP
Light colour	3000K
Dimmability	DIMMABLE
Product container (energy class)	E
Absorption (A)	0.05
Operating temperature (°C)	-20C / +40C
Link db eprel	<a href="http://eprel.ec.europa.eu/qr/713888">http://eprel.ec.europa.eu/qr/713888</a>
Warranty	2 YEARS
Width (mm)	35
Depth (mm)	35
Height (mm)	98
Net weight (Kg)	0.014
Eprel card	<a href="https://eprel.ec.europa.eu/fiches/lightsources/Fiche_713888_EN.pdf">https://eprel.ec.europa.eu/fiches/lightsources/Fiche_713888_EN.pdf</a>

## DESCRIPTION

With a lifespan of 20,000 hours (well beyond the standards you will find on the market), the bulb can last over 15 years (with 3 hours of daily use). It produces 806 lumens of instant brightness, without having to wait for the bulb to warm up. The opalized diffuser makes the light very uniform and glare-free. The effect is very similar to old incandescent bulbs. The "LED filament" technology provides a hyper-diffused 330° beam. With a color temperature of 3000 Kelvin, the bulb provides warm white light, creating a comfortable atmosphere in any room. Perfect for any room in the home, such as the bedroom, living room, bathroom, and office. It consumes 6 watts of energy and costs less than €2.50 per year to operate, offering significant energy savings compared to an incandescent light bulb. It's equivalent to a traditional 60W light bulb. The high color rendering index (CRI > 80) offers natural, vivid colors. This bulb is not dimmable and not compatible with dimmer switches.

## LOGISTICS DATA

Packing type	Colour box
Pack length (mm)	37
Pack width (mm)	37
Pack height (mm)	102
Packed product weight (kg)	2.500
Inner width (cm)	20
Inner length (cm)	18
Inner height (cm)	20
Quantity in inner	10
Gross weight inner (kg)	0.250
ITF INNER	18003910109206
Master length (cm)	40
Master width (cm)	20
Master height (cm)	22
Quantity in master	100
Master gross weight (kg)	2.500
ITF MASTER	28003910109203
How many pieces on 80x120 pallet (pz)	5000
INTRASTAT Code	85395200

