



LED

NATURAL WHITE  
4000K  
LUCE NATURALE

220°

E14

806 8W  
LUMEN ∠360°  
= 60W  
EQUIVALENT



PACKING ☐ / ☑	INNER ☐ pcs	MASTER ☑ pcs
Colour Box	10	100



## TECHNICAL DATA

Power supply	220V AC
Type of power supply provided	INTERNAL DRIVER
Lighting source	SMD LED
Lighting power (W)	8
Electricity consumption (W)	8
Incandescent equivalent power (W)	60
Lumen	860
IRC	>80
Light beam	DIFFUSE
Beam angle (°)	200°
LED lifespan (hours)	20.000
Material	PLASTIC + ALUMINIUM
Number of on-off cycles	>10000
Bulb shape	C37
Attachment	E14 LAMP
Energy class	F
Light colour	4000K
Dimmability	NOT DIMMABLE
Lamp included	(INCLUDED)
Energy Label	<a href="https://www.velamp.com/energylabels2021/LB308S-40K.jpg">https://www.velamp.com/energylabels2021/LB308S-40K.jpg</a>
Code eprel	1550397
Link db eprel	<a href="http://eprel.ec.europa.eu/qr/1550397">http://eprel.ec.europa.eu/qr/1550397</a>
Warranty	2 YEARS
Width (mm)	37
Depth (mm)	37
Height (mm)	100
Net weight (Kg)	0.024
Handbook	<a href="https://www.velamp.com/manuali/ISTRUZIONI_LAMPADINE_ALL_LANGUAGE.pdf">https://www.velamp.com/manuali/ISTRUZIONI_LAMPADINE_ALL_LANGUAGE.pdf</a>
Epel card	<a href="https://eprel.ec.europa.eu/fiches/lightsources/Fiche_1550397_EN.pdf">https://eprel.ec.europa.eu/fiches/lightsources/Fiche_1550397_EN.pdf</a>

## DESCRIPTION

With a lifespan of 20,000 hours (well beyond the standards you will find on the market), the bulb can last over 15 years (with 3 hours of daily use). It produces 806 lumens of instant brightness, without having to wait for the bulb to warm up. The opalized diffuser makes the light uniform, glare-free, and well-diffused (220° beam angle). With a color temperature of 4000 Kelvin, the bulb provides natural white light, creating a bright atmosphere in any room. Perfect for any room in the home, such as the bedroom, living room, bathroom, and office. Ideal for bedside lamps, range hood lamps, study lights, chandeliers, and wall lamps. It consumes 8 watts of energy and costs less than €2.50 per year to operate, offering significant energy savings compared to an incandescent light bulb. It's equivalent to a traditional 60W light bulb. The high color rendering index (CRI > 80) offers natural, vivid colors. This bulb is not dimmable and not compatible with dimmer switches.

## LOGISTICS DATA

Packing type	Colour Box
Pack length (mm)	40
Pack width (mm)	40
Pack height (mm)	110
Packed product weight (kg)	3.700
Inner width (cm)	23
Inner length (cm)	20
Inner height (cm)	12
Quantity in inner	10
Gross weight inner (kg)	0.400
ITF INNER	18003910112787
Master length (cm)	45
Master width (cm)	23
Master height (cm)	27
Quantity in master	100
Master gross weight (kg)	3.700
ITF MASTER	28003910112784
How many pieces on 80x120 pallet (pz)	2800
INTRASTAT Code	85395200
DEEE	0.1
ECOLOGIC SCALES 2025	N/A
Country of origin	CHINA

