



PACKING	INNER	MASTER
/	pcs	pcs
Colour Box	10	40



TECHNICAL DATA

Power supply	220V AC
Power supply provided	YES
Type of power supply provided	INTERNAL DRIVER
Lighting source	FILAMENT LED - OPAL
Light technology	LED FILAMENT OPAL
Lighting power (W)	11
Electricity consumption (W)	11
Incandescent equivalent power (W)	100
Lumen	1521
IRC	>80
Light beam	DIFFUSE
Beam angle (°)	330°
LED lifespan (hours)	20.000
Material	GLASS
Switch	NO
Energy class	D
Light colour	3000K
Dimmability	NOT DIMMABLE
Lamp included	BULB INCLUDED
Energy Label	https://www.velamp.com/energylabels2021/LB511M-30K.jpg
Code eprel	1402280
Link db eprel	http://eprel.ec.europa.eu/qr/1402280
Warranty	2 YEARS
Width (mm)	125
Depth (mm)	125
Height (mm)	170
Net weight (Kg)	0.108

DESCRIPTION

Packing type	Colour Box
Pack length (mm)	128
Pack width (mm)	128
Pack height (mm)	180
Packed product weight (kg)	7.900
Inner width (cm)	55
Inner length (cm)	65
Inner height (cm)	19
Quantity in inner	10
Gross weight inner (kg)	1.900
ITF INNER	18003910112428
Master length (cm)	67
Master width (cm)	55
Master height (cm)	40
Quantity in master	40
Master gross weight (kg)	7.900
ITF MASTER	28003910112425
How many pieces on 80x120 pallet (pz)	240
INTRASTAT Code	85395200
Country of origin	CHINA

