



PACKING	INNER	MASTER
/	pcs	pcs
Blister	10	80



TECHNICAL DATA

Power supply	220V AC
Type of power supply provided	INTERNAL DRIVER
Lighting source	SMD LED
Lighting power (W)	1.5
Electricity consumption (W)	1.5
Incandescent equivalent power (W)	10
Lumen	150
IRC	>80
Light beam	DIFFUSE
Beam angle (°)	300°
LED lifespan (hours)	20.000
Material	PLASTIC
Number of on-off cycles	>10000
Bulb shape	CAPSULA
Attachment	GU4
Energy class	F
Light colour	6500K
Dimmability	NOT DIMMABLE
Lamp included	(INCLUDED)
Energy Label	https://www.velamp.com/energylabels2021/LB915-65K.jpg
Code eprel	1550453
Link db eprel	http://eprel.ec.europa.eu/qr/1550453
Warranty	2 YEARS
Width (mm)	10
Depth (mm)	10
Height (mm)	33
Net weight (Kg)	0.010
Handbook	https://www.velamp.com/manuali/ISTRUZIONI_LAMPADINE_ALL_LANGUAGE.pdf
Eprel card	https://eprel.ec.europa.eu/fiches/lightsources/Fiche_1550453_EN.pdf

DESCRIPTION

Energy Saving - Velamp 2W G4 LED Bulbs: Replacement for 10W halogen bulbs, saving you 90% on your electricity bill. Fewer replacements and longer lifespan. Superior Quality - Contains no filament or mercury. The G4 Cool White LED bulb protects your eyes and creates a comfortable atmosphere. VELAMP LED bulbs are CE certified, safe for your family and the environment. Wide Application - This LED bulb is suitable for all 12V LED lamps with a standard G4 base. It's quick and easy to install. This G4 LED bulb is ideal for kitchens, living rooms, bedrooms, and hallways, as well as chandeliers and spotlights. Super Bright - G4 LED bulb with SMD2835 LEDs, 300° Beam Angle, Cool White 6500K, Color Rendering Index >80 (for faithful color rendering), flicker-free, low heat generation, low power consumption, long life. Attention - Please check the dimensions carefully before purchasing to see if it fits your light fixture. (Dimensions: 33mm x 10mm); It is not dimmable, please do not use it with a dimmer. 12V.

LOGISTICS DATA

Packing type	Blister
Pack length (mm)	15
Pack width (mm)	90
Pack height (mm)	105
Packed product weight (kg)	1.300
Inner width (cm)	22
Inner length (cm)	15
Inner height (cm)	11
Quantity in inner	10
Gross weight inner (kg)	0.100
ITF INNER	18003910112886
Master length (cm)	32
Master width (cm)	22
Master height (cm)	25
Quantity in master	80
Master gross weight (kg)	1.300
ITF MASTER	28003910112883
How many pieces on 80x120 pallet (pz)	3520
INTRASTAT Code	85395200
DEEE	0.1
ECOLOGIC SCALES 2025	N/A
Country of origin	CHINA

