



330°



E14



| PACKING | INNER | MASTER |
|-------------------|-----------|------------|
| / | pcs | pcs |
| Colour box | 10 | 100 |



TECHNICAL DATA

| | |
|-----------------------------------|---|
| Power supply | 220V AC |
| Lighting source | FILAMENT LED - CRYSTAL |
| Lighting power (W) | 4 |
| Electricity consumption (W) | 4 |
| Incandescent equivalent power (W) | 40 |
| Starting time | INSTANT |
| Lumen | 470 |
| IRC | >80 |
| Light beam | DIFFUSE |
| LED lifespan (hours) | 20000 |
| Material | GLASS |
| Color | TRANSPARENT |
| Bulb shape | T25 |
| Attachment | E14 |
| Energy class | E |
| Light colour | 4000K |
| Dimmability | NO |
| Code eprel | 2035528 |
| Link db eprel | http://eprel.ec.europa.eu/qr/2035528 |

DESCRIPTION

With a lifespan of 20,000 hours (well beyond the standards you will find on the market), the bulb can last over 15 years (with 3 hours of daily use). Produces 470 lumens of instant brightness, without having to wait for the bulb to warm up. Transparent diffuser that makes the light very similar to old incandescent bulbs. The "LED filament" technology gives a hyper-diffused 330° beam. With a color temperature of 4000 Kelvin, the bulb provides natural white light, creating a bright atmosphere in any room. Applications: Ideal for kitchen hood, extractor hood, refrigerator, floor lamp, chandelier, table lamp, wall lamp, etc. It consumes 4 watts of energy and has an operating cost of less than 2.50 euros per year and allows significant energy savings compared to an incandescent light bulb. Equivalent to a traditional 40W light bulb. High color rendering index (CRI > 80) provides natural and vivid color. This bulb is not dimmable, not compatible with dimmers.

LOGISTIC INFORMATION

| | |
|----------------------------|----------------|
| Packing type | Colour box |
| Packed product weight (kg) | 2.500 |
| Inner width (cm) | 20 |
| Inner length (cm) | 18 |
| Inner height (cm) | 20 |
| Quantity in inner | 10 |
| Gross weight inner (kg) | 0.250 |
| ITF INNER | 18003910114866 |
| Master length (cm) | 40 |
| Master width (cm) | 20 |
| Master height (cm) | 22 |
| Quantity in master | 100 |
| Master gross weight (kg) | 2.500 |
| ITF MASTER | 28003910114863 |
| INTRASTAT Code | 85395200 |
| DEEE | 0.24 |

