



PACKING 	INNER  pcs	MASTER  pcs
<b>Polybag</b>	<b>10</b>	<b>140</b>



## TECHNICAL DATA

Operating temperature (°C)	-15°C / +85°C
Maximum diameter	max 53 mm
Country of origin	CHINA
Material	NYLON 6.6
Warranty	2 YEARS
Product dimensions	200 x 4,8
Net weight (Kg)	0.030

## DESCRIPTION

100 green cable ties made of high-strength nylon 6.6. Superior nylon quality: resistant to UV and temperatures ranging from -40°C to 85°C. Dimensions: 4.8 x 200 mm. Holding capacity 22 kg, max. clamping Ø 53 mm. TÜV certified. Wide range of applications: Ideal for securing vegetables such as tomatoes, cucumbers, peas, eggplants, and beans, as well as flowers such as orchids, ornamental plants, and ornaments. Ideal for securing cables or various bundled and heavy-duty objects. Suitable for use in mechanical engineering, electrical engineering, crafts, construction, agriculture, gardening, offices, and DIY projects.

## LOGISTICS DATA

Packing type	Polybag
Pack length (mm)	80
Pack width (mm)	230
Pack height (mm)	30
Packed product weight (kg)	0.100
Inner width (cm)	40
Inner length (cm)	28
Inner height (cm)	8
Quantity in inner	10
Gross weight inner (kg)	1.200
ITF INNER	18003910110202
Master length (cm)	54
Master width (cm)	40
Master height (cm)	32
Quantity in master	140
Master gross weight (kg)	19.000
ITF MASTER	28003910110209
How many pieces on 80x120 pallet (pz)	1680
INTRASTAT Code	39269097
ECOLOGIC SCALES 2025	N/A

## LOGISTICS DATA

Country of origin

CHINA

