



60A $\varnothing 60\text{mm}^2$ MAX

12
PIECE
STICK



PACKING 	INNER pcs	MASTER pcs
Shrink	10	100



TECHNICAL DATA

Installation height (m)	0
Maximum diameter for cable insertion (mm ²)	25
Electric current intensity (A)	60
Country of origin	CHINA
Material	PLASTIC - OTHER
NF	NF
Warranty	2 YEARS
Width (mm)	190
Depth (mm)	30
Height (mm)	20
Net weight (Kg)	0.095

DESCRIPTION

Pack of 12 mammoths; divisible by hand. 25 mm², 60a; flat head terminal connection screws. Material: PP polypropylene, good flexibility, transparency, extensibility, radiation resistance. Quick and easy assembly. TÜV and NF (normes françaises) certified.

LOGISTICS DATA

Packing type	Shrink
Pack length (mm)	30
Pack width (mm)	190
Pack height (mm)	20
Packed product weight (kg)	0.095
Inner width (cm)	23
Inner length (cm)	20
Inner height (cm)	5
Quantity in inner	10
Gross weight inner (kg)	0.100
ITF INNER	8003910101746
Master length (cm)	32
Master width (cm)	23
Master height (cm)	26
Quantity in master	100
Master gross weight (kg)	9.900
ITF MASTER	18003910101361
How many pieces on 80x120 pallet (pz)	4000
INTRASTAT Code	85369010

LOGISTICS DATA

DEEE	0.02
ECOLOGIC SCALES 2025	MBJED010000
Country of origin	CHINA

