



PACKING	INNER	MASTER
	 pcs	 pcs
Polybag	10	150



TECHNICAL DATA

Name	MG8200FB
Power supply	220V AC
Power supply provided	NO
Rated voltage (V)	450
Capacity (µF)	20
Color	WHITE
Material	PLASTIC - OTHER
Warranty	2 YEARS
Width (mm)	70
Depth (mm)	40
Height (mm)	40
Net weight (Kg)	0.094

DESCRIPTION

Permanent capacitor for electric motors, 20µF, 450V. Power capacitor. Polypropylene cylinder. Electrical connection via 4 terminals. Flat bottom: ideal for submersible pumps. Capacitance: 20µF. Voltage: 450V~. External dimensions (diameter x height): 40*70mm (without PINs). Electrical connection via 6.4 x 0.8mm faston terminals. With flat bottom: ideal for submersible pumps. Tolerance 5%. Lifespan: 3000 hours. Operating temperature -40°C ~ +70°C.

LOGISTICS DATA

Packing type	Polybag
Pack length (mm)	40
Pack width (mm)	70
Pack height (mm)	40
Packed product weight (kg)	0.095
Inner width (cm)	23
Inner length (cm)	24
Inner height (cm)	8
Quantity in inner	10
Gross weight inner (kg)	0.950
ITF INNER	18003910116716
Master length (cm)	25
Master width (cm)	23
Master height (cm)	22
Quantity in master	150
Master gross weight (kg)	5.020

LOGISTICS DATA

ITF MASTER	28003910116713
How many pieces on 80x120 pallet (pz)	3000
INTRASTAT Code	85322500

