






PACKING	INNER	MASTER
	 pcs	 pcs
Polybag	10	100



TECHNICAL DATA

Name	MG8250FB
Power supply	220V AC
Power supply provided	NO
Rated voltage (V)	450
Capacity (µF)	25
Color	WHITE
Material	PLASTIC - OTHER
Warranty	2 YEARS
Width (mm)	100
Depth (mm)	40
Height (mm)	40
Net weight (Kg)	0.100

DESCRIPTION

Permanent capacitor for electric motors, 25µF, 450V. Power capacitor. Polypropylene cylinder. Electrical connection via 4 terminals. Flat bottom: ideal for submersible pumps. Capacitance: 25µF. Voltage: 450V~. External dimensions (diameter x height): 40*93mm (without PINs). Electrical connection via 6.4 x 0.8mm faston terminals. With flat bottom: ideal for submersible pumps. Tolerance 5%. Lifespan: 3000 hours. Operating temperature -40°C ~ +70°C.

LOGISTICS DATA

Packing type	Polybag
Pack length (mm)	40
Pack width (mm)	100
Pack height (mm)	40
Packed product weight (kg)	0.110
Inner width (cm)	23
Inner length (cm)	23
Inner height (cm)	7
Quantity in inner	10
Gross weight inner (kg)	1.220
ITF INNER	18003910117171
Master length (cm)	25
Master width (cm)	23
Master height (cm)	22
Quantity in master	100
Master gross weight (kg)	6.410

LOGISTICS DATA

ITF MASTER	28003910117178
How many pieces on 80x120 pallet (pz)	3000
INTRASTAT Code	85322500

