



PACKING 	INNER  pcs	MASTER  pcs
Blister	6	36



TECHNICAL DATA

Power supply	220V AC
Operating temperature (°C)	-20°C / +40°C
Maximum load	120W (LED)
IP Protection	IP44
Insulation class	II
Country of origin	CHINA
Material	PLASTIC - ABS
Warranty	2 YEARS
Width (mm)	63
Depth (mm)	63
Height (mm)	77
Net weight (Kg)	0.100

DESCRIPTION

Twilight switch for outdoor use IP44. Compact and elegant design. Great for energy saving. Adjustable from 5 lux to 300 lux; maximum power 1000 W. It works at 220-24 0V/ac 50Hz.

LOGISTICS DATA

Packing type	Blister
Pack length (mm)	60
Pack width (mm)	210
Pack height (mm)	160
Packed product weight (kg)	0.160
Inner width (cm)	32
Inner length (cm)	26
Inner height (cm)	17
Quantity in inner	6
Gross weight inner (kg)	0.960
ITF INNER	18003910902982
Master length (cm)	66
Master width (cm)	32
Master height (cm)	35
Quantity in master	36
Master gross weight (kg)	5.780
ITF MASTER	28003910902989
How many pieces on 80x120 pallet (pz)	648

LOGISTICS DATA

INTRASTAT Code	85365080
DEEE	0.02
ECOLOGIC SCALES 2025	MBJED010000
Country of origin	CHINA

