






PACKING 	INNER  pcs	MASTER  pcs
Plastic hanger	5	25



## TECHNICAL DATA

Power supply	220V AC
Power cord length (cm)	100
Cable section	H05VV-F 3G1.0mm2
Switch	YES
Plug	Type Italy tripolar 16A
Main socket	Type Italy tripolar 16A/10A + shuko bipasso
Number of sockets	6
Maximum load	3500W
Children protection	CHILDREN PROTECION
Country of origin	CHINA
Warranty	2 YEARS
Width (mm)	200
Depth (mm)	80
Height (mm)	56
Net weight (Kg)	0.291

## DESCRIPTION

Power strip with 2 multipurpose sockets (schuko + 16A +10A) and 4 dual-purpose 10/16A sockets. 16A plug and 1.5m cable H05VV-F 3g 1mm2; max 3500W. With luminous ON/OFF indicator and switch. Child protection: prevents foreign objects from being introduced into the live socket; certified product. Color: black.

## LOGISTICS DATA

Packing type	Plastic hanger
Pack length (mm)	50
Pack width (mm)	90
Pack height (mm)	280
Packed product weight (kg)	0.293
Inner width (cm)	22
Inner length (cm)	38
Inner height (cm)	6
Quantity in inner	5
Gross weight inner (kg)	1.450
ITF INNER	18003910108551
Master length (cm)	44
Master width (cm)	22
Master height (cm)	27

## LOGISTICS DATA

Quantity in master	25
Master gross weight (kg)	7.660
ITF MASTER	28003910108558
How many pieces on 80x120 pallet (pz)	875
INTRASTAT Code	85366190
DEEE	0.02
Country of origin	CHINA




**CAVO DI ALIMENTAZIONE SPESSO, IN RAME, PER PIU' SICUREZZA**

Velamp impiega dei fili di vero rame che garantiscono una buona conducibilità elettrica ed una eccellente dispersione del calore. La guaina in PVC è ultra resistente



**Multipresa standard italiano**  
*Italian standard multisocket*



6 Prese:

- 2 prese schuko + bipasso
- 4 prese laterali bipasso



**Spine compatibili**  
*Compatible plugs*



La lunghezza del cavo è 1 metro  
*1 meter power cable*



Protezione da sovraccarico  
*Surge protection*



Materiale con trattamento anti-fuoco  
*Flame retardant materials*



3500W grande potenza  
*3500W Big Power*



Protezione da surriscaldamento  
*Protection against overheating*