






PACKING 	INNER  pcs	MASTER  pcs
Plastic hanger	10	80



TECHNICAL DATA

Power supply	220V AC
Cable section	H03VVH2-F 2x0.75mm ²
Cable length (meters)	2
Plug	Type C/EF - 2 pin (Europlug/FR-DE Hybrid)
Main socket	Type C/EF - 2 pin (Europlug/FR-DE Hybrid)
Maximum load	1250W
Children protection	CHILDREN PROTECION
Country of origin	CHINA
Material	PLASTIC - OTHER
NF	NF
Warranty	2 YEARS
Width (mm)	260
Depth (mm)	80
Height (mm)	27
Net weight (Kg)	0.135

DESCRIPTION


Power cable: H03VV-H2F 2G0.75mm². This extension cable allows you to connect various types of household and portable devices. Length: 2 meters. Supply voltage: 230V AC 50 Hz. Maximum power accepted: 1500W NF (French Standards) certified extension cord.

LOGISTICS DATA

Packing type	Plastic hanger
Pack length (mm)	30
Pack width (mm)	230
Pack height (mm)	130
Packed product weight (kg)	0.140
Inner width (cm)	42
Inner length (cm)	33
Inner height (cm)	12
Quantity in inner	10
Gross weight inner (kg)	1.400
ITF INNER	18003910102009
Master length (cm)	25
Master width (cm)	42
Master height (cm)	32
Quantity in master	80

LOGISTICS DATA

Master gross weight (kg)	11.200
ITF MASTER	28003910102006
How many pieces on 80x120 pallet (pz)	1040
INTRASTAT Code	85444290
DEEE	0.02
ECOLOGIC SCALES 2025	MCABC010000
Country of origin	CHINA



Type C extension cable
Prolongateur Type C - Prolunga elettrica tipo C
Cable de extensión tipo C - Type Verlängerungskabel



Pays compatibles
Paesi compatibili - Compatibles countries
Paises compatibles - Paises compatibles



THICK COPPER POWER CORD FOR MORE SAFETY
 Velamp uses real copper wires that guarantee good electrical conductivity and excellent heat dispersion. The PVC sheath is ultra resistant

CORDON D'ALIMENTATION EN CUIVRE ÉPAIS POUR PLUS DE SÉCURITÉ
 Velamp utilise des fils en cuivre véritable qui garantissent une bonne conductivité électrique et une excellente dispersion de la chaleur. La gaine en PVC est ultra résistante

