



PACKING 	INNER pcs	MASTER pcs
Plastic hanger	10	50



## TECHNICAL DATA

Power supply	220V AC
Cable section	H03VVH2-F 2x0.75mm2
Cable length (meters)	5
Plug	Type C/EF - 2 pin (Europlug/FR-DE Hybrid)
Main socket	Type C/EF - 2 pin (Europlug/FR-DE Hybrid)
Maximum load	1250W
Children protection	CHILDREN PROTECION
Country of origin	CHINA
Material	PLASTIC - OTHER
NF	NF
Warranty	2 YEARS
Width (mm)	280
Depth (mm)	80
Height (mm)	30
Net weight (Kg)	0.240

## DESCRIPTION

Power cable: H03VV-H2F 2G0.75mm<sup>2</sup>. This extension cable allows you to connect various types of household and portable devices. Length: 5 meters. Supply voltage: 230V AC 50 Hz. Maximum power accepted: 1500W NF (French Standards) certified extension cord.

## LOGISTICS DATA

Packing type	Plastic hanger
Pack length (mm)	30
Pack width (mm)	110
Pack height (mm)	150
Packed product weight (kg)	0.244
Inner width (cm)	44
Inner length (cm)	30
Inner height (cm)	10
Quantity in inner	10
Gross weight inner (kg)	2.440
ITF INNER	18003910102016
Master length (cm)	30
Master width (cm)	44
Master height (cm)	32
Quantity in master	50

## LOGISTICS DATA

Master gross weight (kg)	12.200
ITF MASTER	28003910102013
How many pieces on 80x120 pallet (pz)	760
INTRASTAT Code	85444290
DEEE	0.02
ECOLOGIC SCALES 2025	MCABC010000
Country of origin	CHINA



**Type C extension cable**  
*Prolongateur Type C - Prolunga elettrica tipo C*  
*Cable de extensión tipo C - Type Verlängerungskabel*



**Pays compatibles**  
*Paesi compatibili - Compatibles countries*  
*Países compatibles - Paises compatibles*



**THICK COPPER POWER CORD FOR MORE SAFETY**  
 Velamp uses real copper wires that guarantee good electrical conductivity and excellent heat dispersion. The PVC sheath is ultra resistant

**CORDON D'ALIMENTATION EN CUIVRE ÉPAIS POUR PLUS DE SÉCURITÉ**  
 Velamp utilise des fils en cuivre véritable qui garantissent une bonne conductivité électrique et une excellente dispersion de la chaleur. La gaine en PVC est ultra résistante

