




Standard Schuko power extension
Standard-Schuko-Stromverlängerung



Compatible countries:
Kompatible Länder:



PACKING 	INNER  pcs	MASTER  pcs
Plastic hanger	5	10



TECHNICAL DATA

Power supply	220V AC
Power supply provided	NO
Cable section	H05VV-F 3G1.5mm2
Cable length (meters)	10
Switch	NO
Plug	Type E / F - 2 pin (EU Hybrid)
Main socket	Schuko (type F - CEE 7/4)
Maximum load	3500W
Children protection	CHILDREN PROTECION
Country of origin	CHINA
Material	PLASTIC - OTHER
Warranty	2 YEARS
Width (mm)	180
Depth (mm)	180
Height (mm)	50
Net weight (Kg)	1.120

DESCRIPTION

10-meter, 16A extension cord for connecting various types of home and mobile devices. GS certified. Intensity: 16A Maximum power: 3680 W - 230V. Cable length: 10 m Cable: H05VV-F 3G1,5 mm². Child safety and GS certified.

LOGISTICS DATA

Packing type	Plastic hanger
Pack length (mm)	180
Pack width (mm)	180
Pack height (mm)	50
Packed product weight (kg)	1.130
Inner width (cm)	32
Inner length (cm)	27
Inner height (cm)	20
Quantity in inner	5
Gross weight inner (kg)	5.700
ITF INNER	18003910112312
Master length (cm)	38
Master width (cm)	32
Master height (cm)	17

LOGISTICS DATA

Quantity in master	10
Master gross weight (kg)	11.900
ITF MASTER	28003910112319
How many pieces on 80x120 pallet (pz)	360
INTRASTAT Code	85444290
Country of origin	CHINA



1 PLUG SCHUKO STANDARD
1 STANDARD SCHUKO STECKDOSEN



1 SOCKET SCHUKO STANDARD
1 BUCHSE STANDARD-SCHUKO



Surge protection
Anstieg Schutz



Flame retardant materials
Flammhemmende Materialien



3680W Big Power
3680W große Leistung



Protection against overheating
Schutz gegen Überhitzung

THICK COPPER POWER CORD FOR MORE SAFETY

Velamp uses real copper wires that guarantee good electrical conductivity and excellent heat dispersion. The PVC sheath is ultra resistant

DICKES KUPFERNETZKABEL FÜR MEHR SICHERHEIT

Velamp verwendet echte Kupferdrähte, diese garantieren gute elektrische Leitfähigkeit und ausgezeichnete Wärmeverteilung. Der PVC-Mantel ist extrem widerstandsfähig

