






PACKING 	INNER  pcs	MASTER  pcs
Plastic hanger	5	30



TECHNICAL DATA

Power supply	220V AC
Cable section	H05VV-F 3G1.5mm ²
Cable length (meters)	10
Plug	Type Italy tripolar 16A
Main socket	Type Italy tripolar 16A/10A
Maximum load	3500W
Children protection	CHILDREN PROTECION
Country of origin	CHINA
Material	PLASTIC - OTHER
Warranty	2 YEARS
Width (mm)	170
Depth (mm)	170
Height (mm)	50
Net weight (Kg)	0.825

DESCRIPTION

Excellent for everyday use. Length: 10 meters; IMQ certified product. Color Black. Child protection: prevents foreign objects from being introduced into the live socket. H05VV-F 3G1 mm² cable.

LOGISTICS DATA

Packing type	Plastic hanger
Packed product weight (kg)	0.895
Inner width (cm)	40
Inner length (cm)	17
Inner height (cm)	25
Quantity in inner	5
Gross weight inner (kg)	4.200
ITF INNER	18003910108599
Master length (cm)	55
Master width (cm)	40
Master height (cm)	25
Quantity in master	30
Master gross weight (kg)	24.900
ITF MASTER	28003910108596
How many pieces on 80x120 pallet (pz)	480
INTRASTAT Code	85444290

LOGISTICS DATA

DEEE	0.15
Country of origin	CHINA



Protezione da sovraccarico



Materiale con trattamento anti-fuoco



2500W grande potenza



Protezione da surriscaldamento

- CORE 100% RAME
- BUONA CONDUTTIVITA'
- MENO CALORE



CAVO DI ALIMENTAZIONE SPESSE, IN RAME, PER PIU' SICUREZZA

- Velamp impiega dei fili di vero rame che garantiscono una buona conducibilità elettrica ed una eccellente dispersione del calore
- La guaina in PVC è ultra resistente

