




| PACKING<br> | INNER<br> pcs | MASTER<br> pcs |
|--|--|---|
| Plastic hanger   | 5  | 30  |



## TECHNICAL DATA

|                       |                              |
|-----------------------|------------------------------|
| Power supply          | 220V AC                      |
| Cable section         | H05VV-F 3G1.5mm <sup>2</sup> |
| Cable length (meters) | 10                           |
| Plug                  | Type Italy tripolar 16A      |
| Main socket           | Type Italy tripolar 16A/10A  |
| Maximum load          | 3500W                        |
| Children protection   | CHILDREN PROTECION           |
| Country of origin     | CHINA                        |
| Material              | PLASTIC - OTHER              |
| Warranty              | 2 YEARS                      |
| Width (mm)            | 170                          |
| Depth (mm)            | 170                          |
| Height (mm)           | 50                           |
| Net weight (Kg)       | 0.825                        |

## DESCRIPTION

Excellent for everyday use. Length: 10 meters; IMQ certified product. Color White. Child protection: prevents foreign objects from being introduced into the live socket. H05VV-F 3G1 mm<sup>2</sup> cable.

## LOGISTICS DATA

|                                       |                |
|---------------------------------------|----------------|
| Packing type                          | Plastic hanger |
| Packed product weight (kg)            | 0.895          |
| Inner width (cm)                      | 40             |
| Inner length (cm)                     | 17             |
| Inner height (cm)                     | 25             |
| Quantity in inner                     | 5              |
| Gross weight inner (kg)               | 4.120          |
| ITF INNER                             | 18003910108582 |
| Master length (cm)                    | 55             |
| Master width (cm)                     | 40             |
| Master height (cm)                    | 25             |
| Quantity in master                    | 30             |
| Master gross weight (kg)              | 24.850         |
| ITF MASTER                            | 28003910108589 |
| How many pieces on 80x120 pallet (pz) | 480            |
| INTRASTAT Code                        | 85444290       |


## LOGISTICS DATA

|                   |       |
|-------------------|-------|
| DEEE              | 0.15  |
| Country of origin | CHINA |



- CORE 100% RAME
- BUONA CONDUTTIVITA'
- MENO CALORE



-  Protezione da sovraccarico
-  Materiale con trattamento anti-fuoco
-  2500W grande potenza
-  Protezione da surriscaldamento



VELAMP

### CAVO DI ALIMENTAZIONE SPESSE, IN RAME, PER PIU' SICUREZZA

- Velamp impiega dei fili di vero rame che garantiscono una buona conducibilità elettrica ed una eccellente dispersione del calore
- La guaina in PVC è ultra resistente

