






PACKING 	INNER  pcs	MASTER  pcs
Plastic hanger	5	30



## TECHNICAL DATA

Power supply	220V AC
Cable section	H05VV-F 3G1.0mm <sup>2</sup>
Cable length (meters)	3
Plug	Type Italy tripolar 16A
Main socket	Type Italy tripolar 16A/10A
Maximum load	3500W
Children protection	CHILDREN PROTECION
Country of origin	CHINA
Material	PLASTIC - OTHER
Warranty	2 YEARS
Width (mm)	84
Depth (mm)	28
Height (mm)	270
Net weight (Kg)	0.299

## DESCRIPTION


Great for everyday use. Length: 3 meters; IMQ certified product. Black color. Child protection: prevents foreign objects from being introduced into the live socket. H05VV-F 3G1 mm<sup>2</sup> cable.

## LOGISTICS DATA


Packing type	Plastic hanger
Pack length (mm)	30
Pack width (mm)	140
Pack height (mm)	140
Packed product weight (kg)	0.302
Inner width (cm)	31
Inner length (cm)	18
Inner height (cm)	15
Quantity in inner	5
Gross weight inner (kg)	1.500
ITF INNER	18003910108131
Master length (cm)	46
Master width (cm)	31
Master height (cm)	19
Quantity in master	30
Master gross weight (kg)	9.500

## LOGISTICS DATA

ITF MASTER	28003910108138
How many pieces on 80x120 pallet (pz)	1050
INTRASTAT Code	85444290
DEEE	0.02
Country of origin	CHINA



- ◆ CORE 100% RAME
- ◆ BUONA CONDUTTIVITA'
- ◆ MENO CALORE



-  Protezione da sovraccarico
-  Materiale con trattamento anti-fuoco
-  2500W grande potenza
-  Protezione da surriscaldamento

**CAVO DI ALIMENTAZIONE SPESSO, IN RAME, PER PIU' SICUREZZA**

- ◆ Velamp impiega dei fili di vero rame che garantiscono una buona conducibilità elettrica ed una eccellente dispersione del calore
- ◆ La guaina in PVC è ultra resistente

