



25m



IP20



| PACKING | INNER | MASTER |
|------------------|----------|----------|
| / | pcs | pcs |
| Brown Box | 4 | 4 |



TECHNICAL DATA

| | |
|-----------------------|---|
| Power supply | 220V AC |
| Cable section | H05VV-F 3G1.5mm2 |
| Cable length (meters) | 25 |
| Switch | YES |
| Plug | Type Italy tripolar 16A |
| Main socket | Type Italy tripolar 16A/10A + shuko bipasso |
| Number of sockets | 4 |
| Coiled cable (W) | 1100 |
| Uncoiled cable (W) | 3200 |
| IP Protection | IP20 |
| Children protection | CHILDREN PROTECION |
| Country of origin | CHINA |
| Material | PLASTIC + METAL |
| Warranty | 2 YEARS |
| Width (mm) | 230 |
| Depth (mm) | 170 |
| Height (mm) | 320 |
| Net weight (Kg) | 3.530 |

DESCRIPTION

Electrical extension cord with cable reel, 4 multipurpose sockets (10/16A Schuko) and large 16A plug; H05VV-F cable, 3G1 section, 5 mm², length 25 metres. Safety protector: disconnects the power when the power exceeds the range limit. All sockets are equipped with child protection: it prevents foreign objects from being introduced into the live socket. Maximum power when the cable is wound up: 110 0W. Maximum power when the cable is unrolled: 120 0W.

LOGISTICS DATA

| | |
|---------------------------------------|----------------|
| Packing type | Brown Box |
| Pack length (mm) | 184 |
| Pack width (mm) | 325 |
| Pack height (mm) | 235 |
| Packed product weight (kg) | 3.795 |
| Quantity in inner | 4 |
| ITF INNER | 18003910102184 |
| Quantity in master | 4 |
| How many pieces on 80x120 pallet (pz) | 80 |
| INTRASTAT Code | 85444290 |

LOGISTICS DATA

| | |
|-------------------|-------|
| DEEE | 0.15 |
| Country of origin | CHINA |



4 prese bipasso 10/16A + Schuko



1100W - 3200W
230V

CAVI DI RAME SPESSI, PER UNA SICUREZZA PERFETTA

Velamp utilizza dei fili di vero rame che garantiscono una buona conducibilità elettrica e un'eccellente dispersione del calore. La guaina in PVC è ultra resistente.

