



PACKING	INNER	MASTER
/	pcs	pcs
Colour box	10	30



TECHNICAL DATA


Name	DURANDAL
Power supply	220V AC
Power supply provided	YES
Type of power supply provided	POWER CABLE
Lighting source	2835 SMD LED
Electricity consumption (W)	4
Starting time	<0,5 SEC
Lumen	450
IRC	≥80
Light beam	DIFFUSE
LED lifespan (hours)	30000
Material	PLASTIC - PC
Maximum connections	120W
Extendable	YES
Power cord length (cm)	120
Color	WHITE
Switch	YES
Functions	ON / OFF
IP Protection	IP20
Insulation class	II
Light colour	3000K / 4000K / 6500K
Dimmability	DIMMABLE
Lamp included	YES
Product container (energy class)	E
Plug	Type C/EF - 2 pin (Europlug/FR-DE Hybrid WITHOUT EARTH)
Container product (registered form code)	4W_LJB_2835_54PCS_27S2P
Energy Label	https://www.velamp.com/energylabels2021/RS4-4CCT.jpg
Link db eprel	http://eprel.ec.europa.eu/qr/2417125
Warranty	2 YEARS
Width (mm)	320
Depth (mm)	30
Height (mm)	30
Net weight (Kg)	0.190
Handbook	https://www.velamp.com/manuali/RS4-4CCT_manuale.pdf
Eprel card	https://eprel.ec.europa.eu/fiches/lightsources/Fiche_2417125_EN.pdf

DESCRIPTION

LED strip light, under-cabinet light, LED kitchen light, tricolor strip light, 3000k, 4000k, 6500k light, 4w strip light, kitchen lamp, extendable LED strip light, under-cabinet light, durandal velampSELECTABLE TRICOLOR LED LIGHT – Choose between warm 3000K, natural 4000K, or cool 6500K light using the convenient integrated selector. Illuminate any space with the perfect shade. EFFICIENCY AND SAVINGS – 450 lumens of brightness for only 4W of consumption, ideal as a replacement for old T5 neon strips. EASY AND COMPLETE INSTALLATION – Includes 120cm power cord, 15cm connector, and mounting kit with screws and anchors. Connects in minutes. EXTENDABLE UP TO 120W TOTAL – Connect multiple modules together to create a continuous line of light under cabinets or shelves.

LOGISTICS DATA

Packing type	Colour box
Pack length (mm)	80
Pack width (mm)	350
Pack height (mm)	30
Packed product weight (kg)	8.300
Inner width (cm)	35
Inner length (cm)	35
Inner height (cm)	10
Quantity in inner	10
Gross weight inner (kg)	2.600
ITF INNER	18003910116990
Master length (cm)	37
Master width (cm)	35
Master height (cm)	32
Quantity in master	30
Master gross weight (kg)	8.300
ITF MASTER	28003910116997
How many pieces on 80x120 pallet (pz)	900
INTRASTAT Code	94051140
DEEE	0.04



Ⓞ Collegabili tra loro fino a 120W Ⓞ Connectable to each other up to 120W
 Ⓞ Connectables entre eux jusqu'à 120 W Ⓞ Conectables entre sí hasta 120W
 Ⓞ Untereinander verbindbar bis 120W

