



PACKING	INNER	MASTER
 / 	 pcs	 pcs
Colour Box	10	30



TECHNICAL DATA


Power supply	220V AC
Power supply provided	YES
Type of power supply provided	INTERNAL DRIVER
Lighting source	SMD LED
Lighting power (W)	8
Electricity consumption (W)	8
Incandescent equivalent power (W)	13
Lumen	960
Light beam	DIFFUSE
Beam angle (°)	120°
LED lifespan (hours)	30000
Material	PLASTIC - PC
Maximum connections	MAX 100W
Power cord length (cm)	150
Switch	YES
IP Protection	IP20
Insulation class	II
Energy class	E
Dimmability	NOT DIMMABLE
Plug	Type C/EF - 2 pin (Europlug/FR-DE Hybrid)
Code eprel	731523
Link db eprel	http://eprel.ec.europa.eu/qr/731523
Warranty	2 YEARS
Width (mm)	576
Depth (mm)	30
Height (mm)	22
Net weight (Kg)	0.235

DESCRIPTION

SMD LED: performance and energy saving. 640 lumens per 8W of consumption. 4000K natural light, neither hot nor cold; non-glare diffuser: diffused and homogeneous light without shadows. Accessories included (power cable 150cm, connector 15cm, installation kit); with ON/OFF switch. Length: 97.3 cm - extendable up to 100W overall; IP20: internal use only; excellent replacement for the old neon T5 reglette. Polycarbonate structure: safe and robust; certified product.

LOGISTIC INFORMATION

Packing type	Colour Box
Pack length (mm)	30
Pack width (mm)	80
Pack height (mm)	600
Packed product weight (kg)	15.010
Inner width (cm)	26
Inner length (cm)	61
Inner height (cm)	8
Quantity in inner	10
Gross weight inner (kg)	5.000
ITF INNER	18003910923123
Master length (cm)	63
Master width (cm)	26
Master height (cm)	34
Quantity in master	30
Master gross weight (kg)	15.010
ITF MASTER	28003910923120
How many pieces on 80x120 pallet (pz)	420
INTRASTAT Code	94051140
DEEE	0.58



VELAMP® RS8-8W

Questo dispositivo è munito di lampade a LED integrate.

A++	LED
A+	
A	
B	
C	
D	
E	
F	

Le lampade di questo dispositivo non sono sostituibili.

874/2012

